Detected Analytes in Water
Semi Volatile Organic Compounds by Method SW8270C
Previous Investigations

Location-ID	Sample Date	Depth(feet)	1,2,3-TRIMETHYLBENZENE	1,2,4,5-TETRAMETHYLBENZENE	1,2,4-TRIMETHYLBENZENE	1,2-DIMETHYL-4-ETHYLBENZENE	1-ETHYL-2,3-DIMETHYLBENZENE	2,3-DIHYDRO-4-METHYL-1H-INDEN	2,5-DIMETHYLSTYRENE	2-METHYLNAPHTHALENE	DECAHYDRONAPHTHALENE	ETHYLBENZENE	FORMAMIDE	ISOPROPYLBENZENE	N-METHYLFORMAMIDE	N-PROPYLBENZENE	p-CYMENE
B057AHP002	9/16/1999	17		12 NJ UG/L		19 NJ UG/L			18 NJ UG/L	3.4 J UG/L				25 NJ UG/L			
B057AHP003	9/15/1999	17	70 NJ UG/L	11 NJ UG/L	58 NJ UG/L		43 NJ UG/L	19 NJ UG/L		6 J UG/L		63 NJ UG/L				45 NJ UG/L	29 NJ UG/L
B057AHP005	9/10/1999	8								< 2 UG/L			5.4 UG/L		5.4 UG/L		
B057AHP006	9/9/1999	6								< 2 UG/L			9.1 UG/L				
B073TR001	6/10/1999	5								< 1.01 UG/L	6.86 NJ UG/L						
Number of Detects:			1	2	1	1	1	1	1	2	1	1	2	1	1	1	1
Total Number of Analyses:			5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Minimum Concentration:			70	11	58	19	43	19	18	6	686	63	54	25	54	45	29
Maximum Concentration:			70	12	58	19	43	19	18	34	686	63	91	25	54	45	29
Mean Detected Concentration:			70	11.5	58	19	43	19	18	20	686	63	72.5	25	54	45	29

Detected Analytes in Water
Polynuclear Aromatic Hydrocarbons by Method SW8310
Previous Investigations

Location-ID	Sample Date	Depth(feet)	ACENAPHTHENE	ACENAPHTHYLENE	ANTHRACENE	BENZO(a)ANTHRACENE	BENZO(a)PYRENE	BENZO(b)FLUORANTHENE	BENZO(g,h,i)PERYLENE	BENZO(k)FLUORANTHENE	CHRYSENE	FLUORANTHENE	FLUORENE	INDENO(1,2,3-c,d)PYRENE	NAPHTHALENE	PHENANTHRENE	PYRENE
B053SB002	9/10/1999	4	< 0.362 UG/L	< 1.59 UG/L	< 0.052 UG/L	< 0.055 UG/L	0.27 UG/L	1.6 J UG/L	1.6 J UG/L	< 0.049 UG/L	< 0.054 UG/L	< 0.117 UG/L	< 0.115 UG/L	0.77 J UG/L	< 0.374 UG/L	< 0.052 UG/L	0.11 NJ UG/L
B053TR001	6/7/1999	6	1000 J UG/L	120 UG/L	< 0.06 UG/L	< 0.08 UG/L	0.09 J UG/L	< 0.19 UG/L	0.72 UG/L	< 0.08 UG/L	< 0.08 UG/L	< 0.13 UG/L	50 J UG/L	0.29 J UG/L	220 UG/L	0.57 UG/L	< 0.16 UG/L
B057AHP002	9/16/1999	17	190 J UG/L	1.9 NJ UG/L	< 0.0494 UG/L	< 0.0522 UG/L	< 0.0522 UG/L	< 0.0884 UG/L	< 0.0836 UG/L	< 0.0465 UG/L	< 0.0513 UG/L	< 0.111 UG/L	< 0.108 UG/L	< 0.0371 UG/L	< 0.355 UG/L	4.1 J UG/L	< 0.0589 UG/L
B057AHP003	9/15/1999	17		120 N UG/L	< 0.0461 UG/L	< 0.0517 UG/L	< 0.0517 UG/L	< 0.0874 UG/L	< 0.0827 UG/L	< 0.0461 UG/L	< 0.0508 UG/L	< 0.11 UG/L	< 0.107 UG/L	< 0.0367 UG/L	3.7 J UG/L	< 0.0489 UG/L	< 0.0583 UG/L
B057AHP005	9/10/1999	8	< 0.362 UG/L	< 1.59 UG/L	< 0.052 UG/L	< 0.055 UG/L	< 0.055 UG/L	0.19 J UG/L	< 0.088 UG/L	< 0.049 UG/L	< 0.054 UG/L	< 0.274 UG/L	< 0.114 UG/L	< 0.039 UG/L	< 0.362 UG/L	< 0.052 UG/L	0.1 NJ UG/L
B057AHP006	9/9/1999	6	< 0.362 UG/L	< 1.59 UG/L	< 0.052 UG/L	< 0.055 UG/L	0.14 J UG/L	0.39 J UG/L	< 0.088 UG/L	< 0.049 UG/L	< 0.054 UG/L	< 0.117 UG/L	0.15 J UG/L	< 0.039 UG/L	0.69 J UG/L	0.97 J UG/L	0.22 NJ UG/L
B057AHP008	9/16/1999	8	< 0.344 UG/L	< 1.51 UG/L	< 0.0494 UG/L	< 0.0522 UG/L	< 0.0522 UG/L	< 0.0884 UG/L	< 0.0836 UG/L	< 0.0465 UG/L	< 0.0513 UG/L	< 0.111 UG/L	1.4 J UG/L	< 0.0371 UG/L	< 0.355 UG/L	< 0.0494 UG/L	< 0.0589 UG/L
B073TR001	6/10/1999	5	30 J UG/L	< 1.38 UG/L	< 0.04 UG/L	< 0.08 UG/L	< 0.09 UG/L	< 0.19 UG/L	< 0.14 UG/L	< 0.08 UG/L	< 0.09 UG/L	< 0.12 UG/L	< 0.17 UG/L	< 0.08 UG/L	< 0.65 UG/L	< 0.07 UG/L	< 0.16 UG/L
B120SB001	9/20/1999	4	< 0.387 UG/L	< 1.7 UG/L	< 0.0556 UG/L	< 0.0589 UG/L	< 0.0877 UG/L	< 0.0995 UG/L	< 0.214 UG/L	< 0.0524 UG/L	0.23 J UG/L	< 0.125 UG/L	< 0.123 UG/L	< 0.0417 UG/L	< 0.4 UG/L	< 0.0556 UG/L	< 0.0589 UG/L
B120SB002	9/20/1999	4	< 0.355 UG/L	< 1.56 UG/L	< 0.051 UG/L	0.08 J UG/L	0.13 J UG/L	0.37 J UG/L	< 0.2 UG/L	< 0.048 UG/L	0.27 UG/L	< 0.269 UG/L	< 0.113 UG/L	0.2 J UG/L	< 0.367 UG/L	0.32 J UG/L	0.18 NJ UG/L
B154TR002	6/8/1999	4	< 7.92 UG/L	56 N UG/L	1.6 J UG/L	8.9 UG/L	6.1 UG/L	6.2 UG/L	< 1.48 UG/L	7.2 J UG/L	15 J UG/L	21 UG/L	< 1.74 UG/L	< 0.82 UG/L	8.9 J UG/L	1.9 J UG/L	24 UG/L
B154TR003	6/8/1999	6	340 J UG/L	120 N UG/L	< 0.6 UG/L	< 0.84 UG/L	< 0.97 UG/L	< 1.95 UG/L	< 1.48 UG/L	< 0.66 UG/L	< 0.9 UG/L	< 1.38 UG/L	< 1.74 UG/L	< 0.82 UG/L	34 J UG/L	1.8 J UG/L	2.9 J UG/L
Number of Detects:			4	5	1	2	5	5	2	1	3	1	3	3	5	6	6
Total Number of Analyses:			12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
Minimum Concentration:			30	19	16	8	9	16	16	72	15	21	14	2	34	18	1
Maximum Concentration:			1000	120	16	89	61	62	72	72	27	21	50	77	220	97	29
Mean Detected Concentration:			390	87	16	48.5	24.8	34.6	44	72	21.67	21	26.33	36	89.8	44	17.5

Detected Analytes in Water
Polynuclear Aromatic Hydrocarbons by Method SW8310
Previous Investigations

Location-ID	Sample Date	Depth(feet)	ACENAPHTHENE	BENZO(b)FLUORANTHENE	BENZO(g,h,i)PERYLENE	FLUORANTHENE	FLUORENE	NAPHTHALENE	PHENANTHRENE	PYRENE
B118ATR005	9/19/2000	7	< 0.35 UG/L	< 0.091 UG/L	< 0.2 UG/L	< 0.11 UG/L	0.17 J UG/L	< 0.37 UG/L	< 0.1 UG/L	< 0.061 UG/L
L001TR001	2/13/2001	3	< 0.34 UG/L	< 0.088 UG/L	0.12 NJ UG/L	< 0.11 UG/L	< 0.11 UG/L	< 0.36 UG/L	0.088 NJ UG/L	< 0.052 UG/L
L001TR007	2/14/2001	3	< 0.34 UG/L	0.11 J UG/L	< 0.083 UG/L	< 0.11 UG/L	< 0.11 UG/L	< 0.35 UG/L	< 0.049 UG/L	< 0.058 UG/L
L001TR008	2/14/2001	3	< 0.34 UG/L	< 0.087 UG/L	< 0.083 UG/L	0.15 NJ UG/L	< 0.11 UG/L	< 0.35 UG/L	< 0.049 UG/L	0.19 J UG/L
UST31GR01	5/25/2004	3	26 UG/L	0.14 J UG/L	< 0.1 UG/L	< 0.055 UG/L	< 0.062 UG/L	150 J- UG/L	0.46 UG/L	< 0.087 UG/L

Number of Detects:	1	2	1	1	1	1	2	1
Total Number of Analyses:	5	5	5	5	5	5	5	5
Minimum Concentration:	26	11	12	15	17	150	46	19
Maximum Concentration:	26	14	12	15	17	150	88	19
Mean Detected Concentration:	26	12.5	12	15	17	150	67	19

Detected Analytes in Water
Anions, TDS and Alkalinity by Methods E300, E160.1 and A2320
Previous Investigations

Location-ID	Sample Date	Depth(feet)	ALKALINITY, BICARBONATE	ALKALINITY, TOTAL	CHLORIDE	NITRATE (AS N)	SULFATE	TOTAL DISSOLVED SOLIDS	TOTAL DISSOLVED SOLIDS (RESIDUE, FILTERABLE)
B056SB002	9/17/1999	9	174 MG/L	174 MG/L	20.8 MG/L	0.56 MG/L	54.9 MG/L	290 MG/L	290 MG/L
B057AGR001	9/7/1999	6	241 MG/L		138 MG/L	0.134 J MG/L	295 MG/L	985 J MG/L	985 J MG/L
B057AHP002	9/16/1999	17	383 MG/L	383 MG/L	191 MG/L	1.67 MG/L	63.9 MG/L	755 MG/L	755 MG/L
B057AHP003	9/15/1999	17	544 MG/L	544 MG/L	68.4 MG/L	0.208 MG/L	27.3 MG/L	655 MG/L	655 MG/L
B057AHP004	9/13/1999	6	410 MG/L	410 MG/L	86.7 MG/L	3.07 MG/L	128 MG/L	740 MG/L	740 MG/L
B057AHP005	9/10/1999	8	969 MG/L		2390 MG/L	0.327 J MG/L	12.6 J MG/L	4890 J MG/L	4890 J MG/L
B057AHP006	9/9/1999	6	201 MG/L		82.9 MG/L	0.0817 J MG/L	37.3 MG/L	395 MG/L	395 MG/L
B057AHP008	9/16/1999	8	165 MG/L	165 MG/L	254 MG/L	6.25 MG/L	170 MG/L	1130 MG/L	1130 MG/L
B057HA004	9/28/1999	0	418 MG/L	418 MG/L	67.7 MG/L	1.24 MG/L	114 MG/L	670 MG/L	670 MG/L
B073TR001	6/10/1999	5						495 MG/L	495 MG/L

Number of Detects:	9	6	9	9	9	10	10
Total Number of Analyses:	10	10	10	10	10	10	10
Minimum Concentration:	165	165	138	56	114	290	290
Maximum Concentration:	969	544	2390	817	639	4890	4890
Mean Detected Concentration:	389.44	349	693.11	307.22	296.33	1100.5	1100.5

Detected Analytes in Water
Anions, TDS and Alkalinity by Methods E300, E160.1 and A2320
Previous Investigations

Location-ID	Sample Date	Depth(feet)	ALKALINITY, BICARBONATE	ALKALINITY, TOTAL	CHLORIDE	NITRATE (AS N)	NITRATE-NITRITE (AS N)	NITRITE (AS N)	SULFATE	TOTAL DISSOLVED SOLIDS
B118ATR002	9/19/2000	4								215 MG/L
B118ATR004	9/19/2000	8								855 MG/L
B118ATR005	9/19/2000	7								430 MG/L
L001TR001	2/13/2001	3	304 MG/L	304 MG/L	76.6 MG/L	1.54 MG/L		< 0.008 MG/L	129 MG/L	564 MG/L
L001TR007	2/14/2001	3	363 MG/L	363 MG/L	86.8 MG/L	1.28 MG/L		< 0.008 MG/L	97.3 MG/L	795 MG/L
L001TR008	2/14/2001	3	386 MG/L	386 MG/L	60.4 MG/L	1.13 MG/L		0.159 MG/L	119 MG/L	735 MG/L
L002TR003	2/6/2001	4	84.7 MG/L	84.7 MG/L	336 MG/L	0.286 MG/L		< 0.008 MG/L	660 MG/L	2004 MG/L
L002TR005	2/5/2001	1	< 0.469 MG/L	< 0.469 MG/L	309 MG/L	1.05 MG/L		< 0.008 MG/L	2260 MG/L	3370 MG/L
SHMPZ001	2/13/2002	10			5930 MG/L	< 0.27 MG/L		< 0.525 MG/L	23.8 MG/L	12100 MG/L
SHMPZ002	2/12/2002	15			4760 MG/L	< 0.27 MG/L		< 2.1 MG/L	46.3 MG/L	8830 MG/L
SHMPZ002	2/12/2002	15			4710 MG/L	< 0.27 MG/L		< 2.1 MG/L	47.9 MG/L	9250 MG/L
SHMPZ003	2/12/2002	59			4680 MG/L	< 0.27 MG/L		< 2.1 MG/L	48.9 MG/L	9270 MG/L
SHMPZ004	2/13/2002	10			11300 MG/L	< 0.27 MG/L		< 0.525 MG/L	262 MG/L	26000 MG/L
SHMPZ005	2/8/2002	10			2190 MG/L	< 0.27 MG/L		< 0.21 MG/L	66.5 MG/L	4940 MG/L
SHMPZ006	2/12/2002	29			5760 MG/L	< 0.27 MG/L		< 2.1 MG/L	72.7 MG/L	10600 MG/L
SHMPZ007	2/6/2002	13			49 MG/L		9.38 MG/L		91.4 J MG/L	599 MG/L
SHMPZ009	2/6/2002	15			11700 MG/L		< 0.27 MG/L		658 J MG/L	20300 MG/L
SHMPZ010	2/6/2002	29			40100 MG/L		0.7 J MG/L		3390 J MG/L	65900 MG/L
SHMPZ011	2/11/2002	15			4440 MG/L	< 0.27 MG/L		< 2.1 MG/L	23.7 MG/L	9820 MG/L
SHMPZ012	2/7/2002	10			122 MG/L	7.98 MG/L		< 0.105 MG/L	132 MG/L	906 MG/L
SHMPZ017	2/5/2002	10			27.3 MG/L	1.37 MG/L		< 0.021 MG/L	125 MG/L	724 MG/L
SHMPZ019	2/7/2002	25			63.5 MG/L	4.49 MG/L		< 0.105 MG/L	77.8 MG/L	565 MG/L
SHMPZ020	2/7/2002	29			97 MG/L	15.2 MG/L		< 0.105 MG/L	45.8 MG/L	769 MG/L
SHMPZ020	2/7/2002	29			98.5 MG/L	15.1 MG/L		< 0.105 MG/L	46 MG/L	745 MG/L
Number of Detects:			4	4	21	10	2	1	21	24
Total Number of Analyses:			2	24	24	24	24	24	24	24
Minimum Concentration:			304	304	49	105	7	159	46	215
Maximum Concentration:			847	847	40100	798	938	159	3390	65900
Mean Detected Concentration:			475	475	4791.14	247.3	472.5	159	676.29	7928.58

Detected Analytes in Water
Volatile Organics and Oxygenates by Method SW8260B
Previous Investigations

Location-ID	Sample Date	Depth(feet)	1,1,2-TRICHLOROETHANE	1,1,3-TRIMETHYLCYCLOHEXANE	1,1,3-TRIMETHYLCYCLOPENTANE	1,1-DICHLOROETHANE	1,1-DICHLOROETHENE	1,1-DIMETHYLCYCLOHEXANE	1,2,3,4-TETRAMETHYLBENZENE	1,2,4,5-TETRAMETHYLBENZENE	1,2,4-TRIMETHYLBENZENE	1,2,4-TRIMETHYLCYCLOHEXANE	1,2-DICHLOROETHANE	1,2-DIMETHYLCYCLOPENTANE	1,3,5-TRIMETHYLBENZENE	1,3,5-TRIMETHYLBENZENE (MESITYLENE)	1,3-DIMETHYLCYCLOPENTANE	1,CIS-2,TRANS-4-TRIMETHYLCYCLOPENTAN	1H-INDENE,2,3-DIHYDRO-1,2-DIMETHYL	1-ISOPROPENYL-3-ISOPROPYLBENZENE	1-METHYL-1-PROPENYLBENZENE
B053SB001	9/10/1999	4	< 0.23 UG/L			< 0.22 UG/L	< 0.22 UG/L				< 0.41 UG/L		< 0.18 UG/L		< 0.23 UG/L	< 0.23 UG/L					
B053SB002	9/10/1999	4	< 0.23 UG/L			0.55 J UG/L	< 0.22 UG/L				< 0.41 UG/L		< 0.18 UG/L		< 0.23 UG/L	< 0.23 UG/L					
B053TR001	6/7/1999	6	< 8.3 UG/L			< 18 UG/L	< 5.3 UG/L		120 NJ UG/L		36 UG/L		< 9.1 UG/L		81 UG/L	81 UG/L					
B056SB002	9/17/1999	9	< 1.2 UG/L			< 1.1 UG/L	< 1.1 UG/L				< 2 UG/L		< 0.89 UG/L		< 1.1 UG/L	< 1.1 UG/L					
B056SB003	9/20/1999	7	6.6 UG/L			< 0.22 UG/L	< 0.22 UG/L				< 0.41 UG/L		1.9 UG/L		< 0.23 UG/L	< 0.23 UG/L					
B057AGR001	9/28/1999	6	< 0.23 UG/L			< 0.22 UG/L	2.5 UG/L				< 0.41 UJ UG/L		< 0.18 UG/L		< 0.23 UG/L	< 0.23 UG/L					
B057AHP002	9/16/1999	17	< 0.23 UG/L	99 NJ UG/L	47 NJ UG/L	46 UG/L	170 UG/L	61 NJ UG/L		24 NJ UG/L	39 UG/L	40 NJ UG/L	< 0.18 UG/L		< 0.23 UG/L	< 0.23 UG/L	25 NJ UG/L	39 NJ UG/L			
B057AHP003	9/15/1999	17	< 12 UG/L	110 NJ UG/L		< 11 UG/L	< 11 UG/L				95 UG/L		< 8.9 UG/L	550 NJ UG/L	< 11 UG/L	< 11 UG/L					
B057AHP004	9/13/1999	6	< 120 UG/L			< 110 UG/L	< 110 UG/L				< 200 UG/L		< 89 UG/L		< 110 UG/L	< 110 UG/L					
B057AHP005	9/10/1999	8	< 0.23 UG/L			0.26 J UG/L	< 0.22 UG/L				< 0.41 UG/L		< 0.18 UG/L		< 0.23 UG/L	< 0.23 UG/L					
B057AHP006	9/9/1999	6	< 0.23 UG/L			< 0.22 UG/L	< 0.22 UG/L				< 0.41 UG/L		< 0.18 UG/L		< 0.23 UG/L	< 0.23 UG/L			3.2 NJ UG/L	1.4 NJ UG/L	1.6 NJ UG/L
B057AHP008	9/16/1999	8	< 0.23 UG/L			< 0.22 UG/L	0.36 J UG/L				< 0.41 UG/L		< 0.18 UG/L		< 0.23 UG/L	< 0.23 UG/L					
B057HA004	9/28/1999	0	3 UG/L			< 0.22 UG/L	14 UG/L				< 0.41 UJ UG/L		2.7 UG/L		< 0.23 UG/L	< 0.23 UG/L					
B073TR001	6/10/1999	5	< 1.7 UG/L			< 3.6 UG/L	< 1.1 UG/L				< 1 UG/L		< 1.8 UG/L		< 1.3 UG/L	< 1.3 UG/L					
B120SB001	9/20/1999	4	< 0.23 UG/L			< 0.22 UG/L	< 0.22 UG/L				< 0.41 UG/L		< 0.18 UG/L		< 0.23 UG/L	< 0.23 UG/L					
B120SB002	9/20/1999	4	< 0.23 UG/L			< 0.22 UG/L	< 0.22 UG/L				< 0.41 UG/L		< 0.18 UG/L		< 0.23 UG/L	< 0.23 UG/L					
B154TR002	6/8/1999	4	< 17 UG/L			< 36 UG/L	< 11 UG/L				16 J UG/L		< 18 UG/L		< 13 UG/L	< 13 UG/L		300 NJ UG/L			
B154TR003	6/8/1999	6	< 17 UG/L			< 36 UG/L	< 11 UG/L				16 J UG/L		< 18 UG/L		55 UG/L	55 UG/L					
Number of Detects:			2	2	1	3	4	1	1	1	5	1	2	1	2	2	1	2	1	1	1
Total Number of Analyses:			18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
Minimum Concentration:			3	99	47	26	14	61	120	24	16	40	19	550	55	55	25	39	32	14	16
Maximum Concentration:			66	110	47	55	170	61	120	24	95	40	27	550	81	81	25	300	32	14	16
Mean Detected Concentration:			34.5	104.5	47	42.33	61.25	61	120	24	40.4	40	23	550	68	68	25	169.5	32	14	16

Detected Analytes in Water
Volatile Organics and Oxygenates by Method SW8260B
Previous Investigations

Location-ID	Sample Date	Depth(feet)	1-METHYLCYCLOHEXENE	1-METHYLCYCLOPENTENE	1-PENTENE	2,3-DIHYDRO-1,2-DIMETHYL-1H-INDEN	2,3-DIHYDRO-1,3-DIMETHYL-1H-INDEN	2,5-DIMETHYLSTYRENE	2-ETHYL-1,4-DIMETHYL-BENZENE	2-ETHYLTOLUENE	2-METHYLBUTANE	2-METHYLPENTANE	3,5-DIMETHYLCYCLOXENE	3-ETHYLTOLUENE	3-METHYL-1-HEXENE	3-METHYLNONANE	4-METHYLCYCLOHEXENE	4-METHYLNONANE(DL)	5-METHYL-,4-HEXADIENE	BENZENE	BENZENE, 1-(1-METHYLETHENYL)	BICYCLO_3_3_0_OCTANE	BICYCLO_3_3_1_NONANE
B053SB001	9/10/1999	4																		< 0.17 UG/L			
B053SB002	9/10/1999	4									1.3 NJ UG/L									< 0.17 UG/L			
B053TR001	6/7/1999	6				100 NJ UG/L			420 NJ UG/L	50 NJ UG/L				200 NJ UG/L						8.1 J UG/L			
B056SB002	9/17/1999	9																		< 0.83 UG/L			
B056SB003	9/20/1999	7																		< 0.17 UG/L			
B057AGR001	9/28/1999	6																		< 0.17 UG/L			
B057AHP002	9/16/1999	17						25 NJ UG/L												0.47 J UG/L		29 NJ UG/L	60 NJ UG/L
B057AHP003	9/15/1999	17	110 NJ UG/L		270 NJ UG/L					100 NJ UG/L	850 NJ UG/L	150 NJ UG/L	110 NJ UG/L		110 NJ UG/L		110 NJ UG/L			230 UG/L			
B057AHP004	9/13/1999	6																		< 83 UG/L			
B057AHP005	9/10/1999	8																		< 0.17 UG/L			
B057AHP006	9/9/1999	6				2.1 NJ UG/L	1 NJ UG/L													< 0.17 UG/L	1.6 NJ UG/L		
B057AHP008	9/16/1999	8																		< 0.17 UG/L			
B057HA004	9/28/1999	0																		11 UG/L			
B073TR001	6/10/1999	5										25 NJ UG/L				220 NJ UG/L		140 NJ UG/L		< 0.85 UG/L			
B120SB001	9/20/1999	4																		< 0.17 UG/L			
B120SB002	9/20/1999	4																		< 0.17 UG/L			
B154TR002	6/8/1999	4																		< 8.4 UG/L			
B154TR003	6/8/1999	6		50 NJ UG/L						100 NJ UG/L									100 NJ UG/L	120 UG/L			
Number of Detects:			1	1	1	2	1	1	1	3	2	2	1	1	1	1	1	1	1	5	1	1	1
Total Number of Analyses:			18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
Minimum Concentration:			110	50	270	21	1	25	420	50	13	25	110	200	110	220	110	140	100	11	16	29	60
Maximum Concentration:			110	50	270	100	1	25	420	100	850	150	110	200	110	220	110	140	100	230	16	29	60
Mean Detected Concentration:			110	50	270	60.5	1	25	420	83.33	431.5	87.5	110	200	110	220	110	140	100	97.8	16	29	60

Detected Analytes in Water
Volatile Organics and Oxygenates by Method SW8260B
Previous Investigations

Location-ID	Sample Date	Depth(feet)	BROMODICHLOROMETHANE	CARBON DISULFIDE	CHLOROBENZENE	CHLOROFORM	CIS,CIS,CIS-1,2,3-TRIMETHYLCYCLOPENTANE	CIS,TRANS,TRANS-1,2,4-TRIMETHYLCYCLOHEXAN	cis-1,2-DICHLOROETHYLENE	cis-1,2-DIMETHYLCYCLOHEXANE	CYCLOPENTANE	ETHYLBENZENE	ETHYLCYCLOPENTANE	HEXANE(C6)	INDANE	ISOPROPYL ETHER	ISOPROPYLBENZENE	ISOPROPYLBENZENE (CUMENE)	ISOPROPYLTOLUENE	m,p-XYLENE	M,P-XYLENE (SUM OF ISOMERS)	M-CYMENE	METHYLCYCLOHEXANE	METHYLCYCLOPENTANE
B053SB001	9/10/1999	4	< 0.17 UG/L	< 0.16 UG/L	< 0.22 UG/L	< 0.23 UG/L			2.3 UG/L			< 0.27 UG/L				< 0.07 UG/L	< 0.29 UG/L	< 0.29 UG/L		< 0.51 UG/L	< 0.51 UG/L			
B053SB002	9/10/1999	4	< 0.17 UG/L	< 0.16 UG/L	< 0.22 UG/L	< 0.23 UG/L			1.3 UG/L			< 0.27 UG/L				< 0.07 UG/L	< 0.29 UG/L	< 0.29 UG/L		< 0.51 UG/L	< 0.51 UG/L			
B053TR001	6/7/1999	6	< 5.8 UG/L	< 7.6 UG/L	< 4.5 UG/L	< 7.6 UG/L			14 J UG/L			170 UG/L				< 1.5 UG/L	44 UG/L	44 UG/L	50 NJ UG/L	43 UG/L	43 UG/L	25 NJ UG/L		
B056SB002	9/17/1999	9	< 0.83 UG/L	< 0.79 UG/L	< 1.1 UG/L	43 UG/L			5.8 UG/L			< 1.4 UG/L				< 0.4 UG/L	< 1.4 UG/L	< 1.4 UG/L		< 2.5 UG/L	< 2.5 UG/L			
B056SB003	9/20/1999	7	4.5 UG/L	< 0.16 UG/L	< 0.22 UG/L	22 UG/L			700 UG/L			< 0.27 UG/L				< 0.079 UG/L	< 0.29 UG/L	< 0.29 UG/L		< 0.51 UG/L	< 0.51 UG/L			
B057AGR001	9/28/1999	6	< 0.17 UG/L	< 0.16 UG/L	270 UG/L	< 0.23 UJ UG/L			2000 UG/L			< 0.27 UG/L				< 0.079 UG/L	< 0.29 UG/L	< 0.29 UG/L		< 0.51 UG/L	< 0.51 UG/L			
B057AHP002	9/16/1999	17	< 0.17 UG/L	< 0.16 UG/L	< 0.22 UG/L	< 0.23 UG/L	38 NJ UG/L		11 UG/L	98 NJ UG/L		4.7 UG/L				< 0.079 UG/L	66 UG/L	66 UG/L		2.8 UG/L	2.8 UG/L			
B057AHP003	9/15/1999	17	< 8.2 UG/L	< 7.9 UG/L	< 11 UG/L	< 12 UG/L			10000 UG/L			240 UG/L		110 NJ UG/L	170 NJ UG/L	< 4 UG/L	70 UG/L	70 UG/L		< 25 UG/L	< 25 UG/L		1200 NJ UG/L	1600 NJ UG/L
B057AHP004	9/13/1999	6	< 82 UG/L	< 80 UG/L	< 110 UG/L	< 120 UG/L			1200 UG/L			< 140 UG/L				< 39 UG/L	< 140 UG/L	< 140 UG/L		< 250 UG/L	< 250 UG/L			
B057AHP005	9/10/1999	8	< 0.17 UG/L	1.2 UG/L	< 0.22 UG/L	< 0.23 UG/L			1.5 UG/L			< 0.27 UG/L				0.2 J UG/L	< 0.29 UG/L	< 0.29 UG/L		< 0.51 UG/L	< 0.51 UG/L			
B057AHP006	9/9/1999	6	1.2 UG/L	0.33 J UG/L	< 0.22 UG/L	6.3 UG/L			13 UG/L			< 0.27 UG/L				< 0.07 UG/L	< 0.29 UG/L	< 0.29 UG/L		< 0.51 UG/L	< 0.51 UG/L			
B057AHP008	9/16/1999	8	< 0.17 UG/L	< 0.16 UG/L	1.5 UG/L	0.6 J UG/L			69 UG/L			< 0.27 UG/L				< 0.079 UG/L	< 0.29 UG/L	< 0.29 UG/L		< 0.51 UG/L	< 0.51 UG/L			
B057HA004	9/28/1999	0	< 0.17 UG/L	< 0.16 UG/L	0.82 J UG/L	12 J UG/L			2000 UG/L		4.8 NJ UG/L	< 0.27 UG/L				< 0.079 UG/L	< 0.29 UG/L	< 0.29 UG/L		< 0.51 UG/L	< 0.51 UG/L			1.1 NJ UG/L
B073TR001	6/10/1999	5	< 1.2 UG/L	< 1.5 UG/L	< 0.91 UG/L	< 1.5 UG/L			160 UG/L			< 0.94 UG/L				< 1.5 UJ UG/L	< 1.4 UG/L	< 1.4 UG/L		< 1.9 UG/L	< 1.9 UG/L			
B120SB001	9/20/1999	4	< 0.17 UG/L	< 0.16 UG/L	< 0.22 UG/L	0.68 J UG/L			74 UG/L			< 0.27 UG/L				< 0.079 UG/L	< 0.29 UG/L	< 0.29 UG/L		< 0.51 UG/L	< 0.51 UG/L			
B120SB002	9/20/1999	4	< 0.17 UG/L	15 UG/L	< 0.22 UG/L	< 0.23 UG/L			2.5 UG/L			< 0.27 UG/L				< 0.079 UG/L	< 0.29 UG/L	< 0.29 UG/L		< 0.51 UG/L	< 0.51 UG/L			
B154TR002	6/8/1999	4	< 12 UG/L	< 15 UG/L	< 9.1 UG/L	< 15 UG/L		450 NJ UG/L	200 UG/L			12 J UG/L				< 15 UJ UG/L	< 14 UG/L	< 14 UG/L		< 19 UG/L	< 19 UG/L			
B154TR003	6/8/1999	6	< 12 UG/L	< 15 UG/L	< 9.1 UG/L	< 15 UG/L			57 UG/L			240 UG/L	50 NJ UG/L			< 15 UJ UG/L	65 UG/L	65 UG/L		110 UG/L	110 UG/L		450 NJ UG/L	
Number of Detects:			2	3	3	6	1	1	18	1	1	5	1	1	1	1	4	4	1	3	3	1	2	2
Total Number of Analyses:			18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
Minimum Concentration:			12	12	15	6	38	450	11	98	48	12	50	110	170	2	44	44	50	28	28	25	450	11
Maximum Concentration:			45	33	270	68	38	450	10000	98	48	240	50	110	170	2	70	70	50	110	110	25	1200	1600
Mean Detected Concentration:			28.5	20	122.33	35.67	38	450	924	98	48	141.8	50	110	170	2	61.25	61.25	50	60.33	60.33	25	825	805.5

Detected Analytes in Water
Volatile Organics and Oxygenates by Method SW8260B
Previous Investigations

Location-ID	Sample Date	Depth(feet)	METHYLDIHYDROINDENE	METHYLENE CHLORIDE	METHYLINDANE	NAPHTHALENE	n-BUTYLBENZENE	N-PENTANE(C5)	n-PROPYLBENZENE	O-CYMENE	o-XYLENE	O-XYLENE (1,2-DIMETHYLBENZENE)	P-CYMENE (p-ISOPROPYLTOLUENE)	sec-BUTYLBENZENE	t-BUTYLBENZENE	tert-BUTYL METHYL ETHER	tert-BUTYLBENZENE	TETRACHLOROETHENE	TETRACHLOROETHYLENE(PCE)	TOLUENE	trans-1,2-DICHLOROETHENE	trans-1,3-DIMETHYLCYCLOHEXANE	TRICHLOROETHYLENE (TCE)	VINYL CHLORIDE
B053SB001	9/10/1999	4		< 0.5 UJ UG/L		< 0.36 UJ UG/L	< 0.38 UG/L		< 0.25 UG/L		< 0.21 UG/L	< 0.21 UG/L	< 0.36 UG/L	< 0.29 UG/L	< 0.25 UG/L	< 0.1 UG/L	< 0.25 UG/L	< 0.31 UG/L	< 0.31 UG/L	< 0.19 UG/L	0.77 J UG/L		1.9 UG/L	< 0.28 UG/L
B053SB002	9/10/1999	4		< 0.28 UG/L		< 0.36 UJ UG/L	< 0.38 UG/L		< 0.25 UG/L		< 0.21 UG/L	< 0.21 UG/L	< 0.36 UG/L	< 0.29 UG/L	< 0.25 UG/L	0.59 J UG/L	< 0.25 UG/L	< 0.31 UG/L	< 0.31 UG/L	< 0.19 UG/L	< 0.19 UG/L		0.84 J UG/L	1.1 UG/L
B053TR001	6/7/1999	6	200 NJ UG/L	< 5.8 UG/L		390 UG/L	50 UG/L		130 UG/L		< 4.9 UG/L	< 4.9 UG/L	< 6.1 UG/L	13 J UG/L	< 8.2 UG/L	< 0.8 UG/L	< 8.2 UG/L	< 5 UG/L	< 5 UG/L	< 3.8 UG/L	< 5.5 UG/L		15 J UG/L	< 5.4 UG/L
B056SB002	9/17/1999	9		< 4.7 UJ UG/L		< 1.8 UG/L	< 1.9 UG/L		< 1.2 UG/L		< 1 UG/L	< 1 UG/L	< 1.8 UG/L	< 1.4 UG/L	< 1.2 UG/L	< 0.52 UG/L	< 1.2 UG/L	< 1.6 UG/L	< 1.6 UG/L	< 0.92 UG/L	< 0.96 UG/L		37 UG/L	< 1.4 UG/L
B056SB003	9/20/1999	7		< 0.28 UG/L		< 0.36 UJ UG/L	< 0.38 UG/L		< 0.25 UG/L		< 0.21 UJ UG/L	< 0.21 UJ UG/L	< 0.36 UG/L	< 0.29 UG/L	< 0.25 UG/L	< 0.1 UG/L	< 0.25 UG/L	< 0.31 UG/L	< 0.31 UG/L	< 0.19 UG/L	1.4 UG/L		2200 UG/L	< 0.28 UG/L
B057AGR001	9/28/1999	6		< 0.28 UG/L		< 0.36 UG/L	< 0.38 UJ UG/L		< 0.25 UJ UG/L		< 0.21 UG/L	< 0.21 UG/L	< 0.36 UJ UG/L	< 0.29 UJ UG/L	< 0.25 UG/L	4.7 UG/L	< 0.25 UG/L	< 0.31 UJ UG/L	< 0.31 UJ UG/L	0.6 UG/L	4.2 UG/L		560 UG/L	400 UG/L
B057AHP002	9/16/1999	17	74 NJ UG/L	< 0.28 UG/L		< 0.36 UG/L	7.4 UG/L		24 UG/L	29 NJ UG/L	2.6 UG/L	2.6 UG/L	8.2 UG/L	18 UG/L	3.3 UG/L	< 0.1 UG/L	3.3 UG/L	< 0.31 UG/L	< 0.31 UG/L	0.24 J UG/L	0.28 J UG/L	34 NJ UG/L	13 UG/L	2.1 UG/L
B057AHP003	9/15/1999	17	220 NJ UG/L	< 14 UG/L		< 18 UG/L	< 19 UG/L	1000 NJ UG/L	68 UG/L		11 J UG/L	11 J UG/L	< 18 UG/L	< 14 UG/L	< 12 UG/L	< 5.2 UG/L	< 12 UG/L	< 16 UG/L	< 16 UG/L	27 UG/L	63 UG/L		550 J UG/L	< 14 UG/L
B057AHP004	9/13/1999	6		< 140 UG/L		< 180 UG/L	< 190 UG/L		< 120 UG/L		< 100 UG/L	< 100 UG/L	< 180 UG/L	< 140 UG/L	< 120 UG/L	< 52 UG/L	< 120 UG/L	< 160 UG/L	< 160 UG/L	< 92 UG/L	210 J UG/L		3800 UG/L	< 140 UG/L
B057AHP005	9/10/1999	8		< 0.47 UJ UG/L		< 0.36 UJ UG/L	< 0.38 UG/L		< 0.25 UG/L		< 0.21 UG/L	< 0.21 UG/L	< 0.36 UG/L	< 0.29 UG/L	< 0.25 UG/L	0.52 J UG/L	< 0.25 UG/L	< 0.31 UG/L	< 0.31 UG/L	< 0.19 UG/L	< 0.19 UG/L		< 0.2 UG/L	0.56 J UG/L
B057AHP006	9/9/1999	6		< 0.59 UJ UG/L		< 0.36 UJ UG/L	< 0.38 UG/L		< 0.25 UG/L		< 0.21 UG/L	< 0.21 UG/L	< 0.36 UG/L	< 0.29 UG/L	< 0.25 UG/L	< 0.1 UG/L	< 0.25 UG/L	< 0.31 UG/L	< 0.31 UG/L	< 0.19 UG/L	< 0.19 UG/L		25 UG/L	< 0.28 UG/L
B057AHP008	9/16/1999	8		1.6 J UG/L		< 0.36 UG/L	< 0.38 UG/L		< 0.25 UG/L		< 0.21 UG/L	< 0.21 UG/L	< 0.36 UG/L	< 0.29 UG/L	< 0.25 UG/L	17 UG/L	< 0.25 UG/L	< 0.31 UG/L	< 0.31 UG/L	< 0.19 UG/L	25 UG/L		390 UG/L	< 0.28 UG/L
B057HA004	9/28/1999	0		< 0.28 UG/L		< 0.36 UG/L	< 0.38 UJ UG/L		< 0.25 UJ UG/L		< 0.21 UG/L	< 0.21 UG/L	< 0.36 UJ UG/L	< 0.29 UJ UG/L	< 0.25 UG/L	< 0.1 UG/L	< 0.25 UG/L	2.7 J UG/L	2.7 J UG/L	< 0.19 UG/L	270 J UG/L		8500 UG/L	97 J UG/L
B073TR001	6/10/1999	5		< 1.2 UG/L		< 1.5 UG/L	< 1.5 UJ UG/L		< 1.1 UG/L		< 0.99 UG/L	< 0.99 UG/L	< 1.2 UJ UG/L	< 1.6 UJ UG/L	< 1.7 UG/L	< 0.8 UG/L	< 1.7 UG/L	< 1 UG/L	< 1 UG/L	< 0.76 UG/L	10 UG/L		180 J UG/L	< 1.1 UG/L
B120SB001	9/20/1999	4		< 0.28 UG/L		< 0.36 UJ UG/L	< 0.38 UG/L		< 0.25 UG/L		< 0.21 UJ UG/L	< 0.21 UJ UG/L	< 0.36 UG/L	< 0.29 UG/L	< 0.25 UG/L	< 0.1 UG/L	< 0.25 UG/L	< 0.31 UG/L	< 0.31 UG/L	< 0.19 UG/L	< 0.19 UG/L		0.47 J UG/L	70 UG/L
B120SB002	9/20/1999	4		< 0.28 UG/L		< 0.36 UJ UG/L	< 0.38 UG/L		< 0.25 UG/L		< 0.21 UJ UG/L	< 0.21 UJ UG/L	< 0.36 UG/L	< 0.29 UG/L	< 0.25 UG/L	< 0.1 UG/L	< 0.25 UG/L	< 0.31 UG/L	< 0.31 UG/L	< 0.19 UG/L	< 0.19 UG/L		0.88 J UG/L	13 UG/L
B154TR002	6/8/1999	4		< 12 UG/L		27 J UG/L	18 J UG/L		< 11 UG/L		< 9.9 UG/L	< 9.9 UG/L	< 12 UG/L	< 16 UG/L	< 16 UG/L	< 8 UG/L	< 16 UG/L	< 9.9 UG/L	< 9.9 UG/L	< 7.5 UG/L	62 UG/L		17 J UG/L	< 11 UG/L
B154TR003	6/8/1999	6	100 NJ UG/L	< 12 UG/L	150 NJ UG/L	120 UG/L	16 J UG/L		54 UG/L		15 J UG/L	15 J UG/L	30 J UG/L	< 16 UG/L	< 16 UG/L	< 8 UG/L	< 16 UG/L	< 9.9 UG/L	< 9.9 UG/L	21 J UG/L	19 J UG/L		< 8.6 UG/L	< 11 UG/L
Number of Detects:			4	1	1	3	4	1	4	1	3	3	2	2	1	4	1	1	1	4	11	1	16	7
Total Number of Analyses:			18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
Minimum Concentration:			74	16	150	27	16	1000	24	29	11	11	30	13	33	17	33	27	27	6	10	34	13	11
Maximum Concentration:			220	16	150	390	74	1000	130	29	26	26	82	18	33	59	33	27	27	27	270	34	8500	400
Mean Detected Concentration:			148.5	16	150	179	39.5	1000	69	29	17.33	17.33	56	15.5	33	43.75	33	27	27	19.5	74.55	34	1032.81	95.43

Detected Analytes in Water
Volatile Organics and Oxygenates by Method SW8260B
Previous Investigations

Location-ID	Sample Date	Depth(feet)	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHAN	1,1-DICHLOROETHANE	1,1-DICHLOROETHENE	1,2,4-TRIMETHYLBENZENE	1,3,5-TRIMETHYLBENZENE	1,3,5-TRIMETHYLBENZENE (MESITYLENE)	2,6-DIMETHYLUNDECANE	20836-11-7	ACETONE	BENZENE	CARBON DISULFIDE	CHLOROFORM	cis-1,2-DICHLOROETHYLENE	ETHYLBENZENE	GASOLINE (~C6-C10)	ISOPROPYL ETHER	ISOPROPYLBENZENE	ISOPROPYLBENZENE (CUMENE)	m,p-XYLENE	M,P-XYLENE (SUM OF ISOMERS)
B103-W	3/19/2002	10										7 UG/L				60 UG/L		< 0.24 UG/L				
B118ATR002	9/19/2000	4		< 0.16 UG/L	< 0.1 UG/L	< 0.11 UG/L	< 0.13 UG/L	< 0.13 UG/L			< 2.7 UJ UG/L	< 0.15 UG/L	< 0.11 UG/L	< 0.41 UG/L	24 UG/L	< 0.12 UG/L		0.42 J UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.27 UG/L
B118ATR004	9/19/2000	8		1.2 J UG/L	< 0.1 UG/L	< 0.11 UG/L	< 0.13 UG/L	< 0.13 UG/L			< 2.7 UJ UG/L	< 0.15 UG/L	< 0.11 UG/L	< 0.41 UG/L	8.9 UG/L	< 0.12 UG/L		< 0.34 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.27 UG/L
B118ATR005	9/19/2000	7		< 0.16 UG/L	< 0.1 UG/L	< 0.11 UG/L	< 0.13 UG/L	< 0.13 UG/L	2.6 UG/L	2.2 UG/L	< 2.7 UJ UG/L	< 0.15 UG/L	< 0.11 UG/L	< 0.41 UG/L	0.57 J UG/L	< 0.12 UG/L		1 J UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.27 UG/L
B154-99	3/15/2002	9										6 UG/L				24.6 UG/L		< 0.024 UG/L				
B154-W	3/15/2002	9										6.4 UG/L				28 UG/L		< 0.024 UG/L				
B53-W	3/14/2002	5										5 UG/L				261 UG/L		< 0.24 UG/L				
L001TR001	2/13/2001	3		< 0.16 UG/L	< 0.1 UG/L	< 0.11 UG/L	< 0.13 UG/L	< 0.13 UG/L			11 J UG/L	< 0.15 UG/L	< 0.11 UG/L	< 0.41 UG/L	18 UG/L	< 0.12 UG/L		< 0.39 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.27 UG/L
L001TR007	2/14/2001	3		< 0.16 UG/L	< 0.1 UG/L	< 0.11 UG/L	< 0.13 UG/L	< 0.13 UG/L			< 2.7 UJ UG/L	< 0.15 UG/L	< 0.11 UG/L	< 0.41 UG/L	11 UG/L	< 0.12 UG/L		0.63 J UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.27 UG/L
L001TR008	2/14/2001	3		< 0.16 UG/L	< 0.1 UG/L	< 0.11 UG/L	< 0.13 UG/L	< 0.13 UG/L			< 2.7 UJ UG/L	< 0.15 UG/L	< 0.11 UG/L	< 0.41 UG/L	17 UG/L	< 0.12 UG/L		< 0.39 UG/L	< 0.12 UJ UG/L	< 0.12 UJ UG/L	< 0.27 UG/L	< 0.27 UG/L
L002TR003	2/5/2001	4		< 0.16 UG/L	< 0.1 UG/L	< 0.11 UG/L	< 0.13 UG/L	< 0.13 UG/L			< 2.7 UJ UG/L	< 0.15 UG/L	< 0.11 UG/L	< 0.41 UG/L	< 0.16 UG/L	< 0.12 UG/L		< 0.39 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.27 UG/L
L002TR005	2/5/2001	1		< 0.16 UG/L	< 0.1 UG/L	< 0.11 UG/L	< 0.13 UG/L	< 0.13 UG/L			< 2.7 UJ UG/L	< 0.15 UG/L	< 0.11 UG/L	< 0.41 UG/L	< 0.16 UG/L	< 0.12 UG/L		< 0.39 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.27 UG/L
SHMPZ001	2/13/2002	10	< 0.2 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.14 UG/L	< 0.15 UG/L	< 0.15 UG/L			< 1.9 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.13 UG/L	< 0.11 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 0.24 UG/L
SHMPZ002	2/12/2002	15	< 0.2 UG/L	< 0.12 UG/L	0.69 J UG/L	0.21 J UG/L	< 0.15 UG/L	< 0.15 UG/L			< 1.9 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.12 UG/L	130 UG/L	< 0.11 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.16 UG/L	0.57 J UG/L	0.57 J UG/L
SHMPZ002	2/12/2002	15	< 0.2 UG/L	< 0.12 UG/L	0.7 J UG/L	0.27 J UG/L	< 0.15 UG/L	< 0.15 UG/L			< 1.9 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.12 UG/L	150 UG/L	< 0.11 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.16 UG/L	0.66 J UG/L	0.66 J UG/L
SHMPZ003	2/12/2002	59	< 0.2 UG/L	< 0.12 UG/L	0.74 J UG/L	< 0.14 UG/L	< 0.15 UG/L	< 0.15 UG/L			< 1.9 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.12 UG/L	140 UG/L	< 0.11 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.16 UG/L	0.28 J UG/L	0.28 J UG/L
SHMPZ004	2/13/2002	10	< 0.2 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.14 UG/L	< 0.15 UG/L	< 0.15 UG/L			22 UG/L	< 0.18 UG/L	3.9 UG/L	< 0.12 UG/L	< 0.13 UG/L	< 0.11 UG/L		2.8 J UG/L	< 0.16 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 0.24 UG/L
SHMPZ005	2/8/2002	10	< 0.2 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.14 UG/L	< 0.15 UG/L	< 0.15 UG/L			< 1.9 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.13 UG/L	< 0.11 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 0.24 UG/L
SHMPZ006	2/12/2002	29	< 0.2 UG/L	< 0.12 UG/L	< 0.15 UG/L	0.4 J UG/L	< 0.15 UG/L	< 0.15 UG/L			9.4 J UG/L	0.27 J UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.13 UG/L	0.29 J UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.16 UG/L	1.2 J UG/L	1.2 J UG/L
SHMPZ007	2/6/2002	13	< 0.2 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.14 UG/L	< 0.15 UG/L	< 0.15 UG/L			< 1.9 UJ UG/L	< 0.18 UG/L	< 0.13 UG/L	0.49 J UG/L	< 0.13 UG/L	< 0.11 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 0.24 UG/L
SHMPZ010	2/6/2002	29	< 0.2 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.14 UG/L	< 0.15 UG/L	< 0.15 UG/L			< 1.9 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.13 UG/L	< 0.11 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 0.24 UG/L
SHMPZ011	2/11/2002	15	< 0.2 UG/L	< 0.12 UG/L	< 0.15 UG/L	0.75 J UG/L	< 0.15 UG/L	< 0.15 UG/L			3.8 J UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.13 UG/L	0.52 J UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.16 UG/L	2.5 UG/L	2.5 UG/L
SHMPZ012	2/7/2002	10	< 0.2 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.14 UG/L	< 0.15 UG/L	< 0.15 UG/L			< 1.9 UG/L	< 0.18 UG/L	< 0.13 UG/L	2.7 UG/L	< 0.13 UG/L	< 0.11 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 0.24 UG/L
SHMPZ017	2/5/2002	10	< 0.2 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.14 UG/L	< 0.15 UG/L	< 0.15 UG/L			< 1.9 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.13 UG/L	< 0.11 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 0.24 UG/L
SHMPZ020	2/7/2002	29	11 J UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.14 UG/L	< 0.15 UG/L	< 0.15 UG/L			< 1.9 UJ UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.13 UG/L	< 0.11 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 0.24 UG/L
SHMPZ020	2/7/2002	29	13 J UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.14 UG/L	< 0.15 UG/L	< 0.15 UG/L			< 1.9 UJ UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.13 UG/L	< 0.11 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 0.24 UG/L
UST31GR01	5/25/2004	3		< 6.8 UG/L	< 7.6 UG/L	1300 UG/L	380 UG/L	380 UG/L				< 7.4 UG/L		< 5.6 UG/L	< 7.4 UG/L	300 UG/L	2200 UG/L		40 UG/L	40 UG/L	1500 UG/L	1500 UG/L

Number of Detects:	2	1	3	5	1	1	1	1	4	5	1	2	9	7	1	4	1	1	6	6
Total Number of Analyses:	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
Minimum Concentration:	11	12	7	4	380	380	26	22	11	5	39	27	11	28	2200	1	40	40	12	12
Maximum Concentration:	13	12	74	1300	380	380	26	22	94	64	39	49	150	300	2200	63	40	40	1500	1500
Mean Detected Concentration:	12	12	50	285.4	380	380	26	22	41.25	21.8	39	38	70.66666667	139.4285714	2200	33.5	40	40	281.3333333	281.3333333

Detected Analytes in Water
Volatile Organics and Oxygenates by Method SW8260B
Previous Investigations

Location-ID	Sample Date	Depth(feet)	METHYL ETHYL KETONE	METHYL ETHYL KETONE (2-BUTANONE)	METHYL MERCAPTAN	METHYL tert-BUTYL ETHER	METHYLENE CHLORIDE	NAPHTHALENE	n-PROPYLBENZENE	o-XYLENE	O-XYLENE (1,2-DIMETHYLBENZENE)	P-CYMENE (p-ISOPROPYLTOLUENE)	sec-BUTYLBENZENE	t-BUTYLBENZENE	tert-BUTYL METHYL ETHER	tert-BUTYLBENZENE	TETRACHLOROETHENE	TETRACHLOROETHYLENE(PCE)	TOLUENE	trans-1,2-DICHLOROETHENE	TRICHLOROETHYLENE (TCE)	VINYL CHLORIDE	XYLENES, TOTAL
B103-W	3/19/2002	10				< 0.34 UG/L				269 UG/L	269 UG/L				< 0.34 UG/L				175 UG/L				566 UG/L
B118ATR002	9/19/2000	4	< 2.1 UJ UG/L	< 2.1 UJ UG/L		< 0.22 UG/L	< 0.22 UG/L	< 0.36 UG/L	< 0.099 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.12 UG/L	< 0.14 UG/L	< 0.13 UG/L	< 0.22 UG/L	< 0.13 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.14 UG/L	1.2 UG/L	4.6 UG/L	< 0.2 UG/L	
B118ATR004	9/19/2000	8	< 2.1 UJ UG/L	< 2.1 UJ UG/L		< 0.22 UG/L	< 0.22 UG/L	< 0.36 UG/L	< 0.099 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.12 UG/L	< 0.14 UG/L	< 0.13 UG/L	< 0.22 UG/L	< 0.13 UG/L	2.7 UG/L	2.7 UG/L	< 0.14 UG/L	< 0.18 UG/L	13 UG/L	< 0.2 UG/L	
B118ATR005	9/19/2000	7	< 2.1 UJ UG/L	< 2.1 UJ UG/L		< 0.22 UG/L	< 0.22 UG/L	< 0.36 UG/L	< 0.099 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.12 UG/L	< 0.14 UG/L	< 0.13 UG/L	< 0.22 UG/L	< 0.13 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.18 UG/L	0.52 J UG/L	< 0.2 UG/L	
B154-99	3/15/2002	9				< 0.034 UG/L				4 UG/L	4 UG/L				< 0.034 UG/L				3.6 UG/L				22.1 UG/L
B154-W	3/15/2002	9				< 0.034 UG/L				4.9 UG/L	4.9 UG/L				< 0.034 UG/L				4.2 UG/L				25.4 UG/L
B53-W	3/14/2002	5				< 0.34 UG/L				< 0.29 UG/L	< 0.29 UG/L				< 0.34 UG/L				< 0.31 UG/L				464 UG/L
L001TR001	2/13/2001	3	< 2.1 UJ UG/L	< 2.1 UJ UG/L		0.64 J UG/L	10 UG/L	< 0.36 UG/L	< 0.099 UG/L	< 0.14 UG/L	< 0.14 UG/L	0.37 J UG/L	< 0.14 UG/L	< 0.13 UG/L	0.64 J UG/L	< 0.13 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.18 UG/L	21 UG/L	< 0.2 UG/L	
L001TR007	2/14/2001	3	< 2.1 UJ UG/L	< 2.1 UJ UG/L		< 0.22 UG/L	18 UG/L	0.4 J UG/L	< 0.099 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.12 UG/L	< 0.14 UG/L	< 0.13 UG/L	< 0.22 UG/L	< 0.13 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.18 UG/L	1.5 UG/L	< 0.2 UG/L	
L001TR008	2/14/2001	3	< 2.1 UJ UG/L	< 2.1 UJ UG/L		< 0.22 UG/L	20 UG/L	0.55 J UG/L	< 0.099 UJ UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.12 UJ UG/L	< 0.14 UJ UG/L	< 0.13 UJ UG/L	< 0.22 UG/L	< 0.13 UJ UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.18 UG/L	21 J- UG/L	< 0.2 UG/L	
L002TR003	2/5/2001	4	< 2.1 UJ UG/L	< 2.1 UJ UG/L		< 0.22 UG/L	12 UG/L	< 0.36 UG/L	< 0.099 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.12 UG/L	< 0.14 UG/L	< 0.13 UG/L	< 0.22 UG/L	< 0.13 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.18 UG/L	< 0.15 UG/L	< 0.2 UG/L	
L002TR005	2/5/2001	1	< 2.1 UJ UG/L	< 2.1 UJ UG/L		< 0.22 UG/L	14 UG/L	< 0.36 UG/L	< 0.099 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.12 UG/L	< 0.14 UG/L	< 0.13 UG/L	< 0.22 UG/L	< 0.13 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.14 UG/L	< 0.18 UG/L	< 0.15 UG/L	< 0.2 UG/L	
SHMPZ001	2/13/2002	10	< 1.8 UG/L	< 1.8 UG/L		< 0.13 UG/L	< 0.12 UG/L	8.5 J+ UG/L	< 0.15 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L	< 0.25 UG/L	
SHMPZ002	2/12/2002	15	< 1.8 UG/L	< 1.8 UG/L		< 0.13 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.15 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.18 UG/L	0.34 J UG/L	63 UG/L	1.8 UG/L	0.74 J UG/L	
SHMPZ002	2/12/2002	15	< 1.8 UG/L	< 1.8 UG/L		< 0.13 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.15 UG/L	0.23 J UG/L	0.23 J UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.18 UG/L	0.49 J UG/L	72 UG/L	1.8 UG/L	0.77 J UG/L	
SHMPZ003	2/12/2002	59	< 1.8 UG/L	< 1.8 UG/L		< 0.13 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.15 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.18 UG/L	0.24 J UG/L	72 UG/L	1.7 UG/L	0.72 J UG/L	
SHMPZ004	2/13/2002	10	9.2 J UG/L	9.2 J UG/L	11 NJ UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.15 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L	< 0.25 UG/L	
SHMPZ005	2/8/2002	10	< 1.8 UG/L	< 1.8 UG/L		< 0.13 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.15 UG/L	< 0.12 UG/L	< 0.12 UG/L	9.6 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L	< 0.25 UG/L	
SHMPZ006	2/12/2002	29	3.2 J UG/L	3.2 J UG/L		< 0.13 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.15 UG/L	0.49 J UG/L	0.49 J UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.18 UG/L	1.1 UG/L	< 0.15 UG/L	< 0.15 UG/L	< 0.25 UG/L	
SHMPZ007	2/6/2002	13	< 1.8 UG/L	< 1.8 UG/L		< 0.13 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.15 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.13 UG/L	0.21 J UG/L	0.21 J UG/L	< 0.12 UG/L	< 0.15 UG/L	5.7 UG/L	< 0.25 UG/L	
SHMPZ010	2/6/2002	29	3.4 J UG/L	3.4 J UG/L		0.48 J UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.15 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	0.48 J UG/L	< 0.13 UG/L	0.5 J UG/L	0.5 J UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L	< 0.25 UG/L	
SHMPZ011	2/11/2002	15	< 1.8 UG/L	< 1.8 UG/L		1.1 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.15 UG/L	1 UG/L	1 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	1.1 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.18 UG/L	2.3 UG/L	< 0.15 UG/L	< 0.15 UG/L	< 0.25 UG/L	
SHMPZ012	2/7/2002	10	< 1.8 UG/L	< 1.8 UG/L		< 0.13 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.15 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.13 UG/L	0.37 J UG/L	0.37 J UG/L	< 0.12 UG/L	< 0.15 UG/L	15 UG/L	< 0.25 UG/L	
SHMPZ017	2/5/2002	10	< 1.8 UG/L	< 1.8 UG/L		< 0.13 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.15 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.13 UG/L	0.33 J UG/L	0.33 J UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L	< 0.25 UG/L	
SHMPZ020	2/7/2002	29	< 1.8 UG/L	< 1.8 UG/L		< 0.13 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.15 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.13 UG/L	0.24 J UG/L	0.24 J UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L	< 0.25 UG/L	
SHMPZ020	2/7/2002	29	< 1.8 UG/L	< 1.8 UG/L		< 0.13 UG/L	< 0.12 UG/L	< 0.27 UG/L	< 0.15 UG/L	< 0.12 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.13 UG/L	0.27 J UG/L	0.27 J UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L	< 0.25 UG/L	
UST31GR01	5/25/2004	3				< 5.6 UG/L	< 8.2 UG/L	260 UG/L	73 UG/L	420 UG/L	420 UG/L	8.1 J UG/L	10 J UG/L	170 UG/L	< 5.6 UG/L	170 UG/L	< 7.2 UG/L	< 7.2 UG/L	12 J UG/L	< 6.6 UG/L	< 6.2 UG/L	< 2.4 UG/L	
Number of Detects:			3	3	1	3	5	4	1	7	7	3	1	1	3	1	7	7	9	4	11	3	4
Total Number of Analyses:			27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
Minimum Concentration:			32	32	11	11	10	4	73	1	1	37	10	170	11	170	5	5	11	12	13	72	221
Maximum Concentration:			92	92	11	64	20	260	73	420	420	96	10	170	64	170	37	37	175	72	57	77	566
Mean Detected Concentration:			52.66666667	52.66666667	11	41	14.8	101	73	116.4285714	116.4285714	71.33333333	10	170	41	170	24.85714286	24.85714286	45.11111111	54.75	26.63636364	74.33333333	376.25

Detected Analytes in Water
GRO, DRO and RRO by Method SW8015B
Previous Investigations

Location-ID	Sample Date	Depth(feet)	DIESEL (C10-C24)	GASOLINE (~C6-C10)	MOTOR OIL (C20-C36)
B053SB001	9/10/1999	4	55 J UG/L	< 12 UJ UG/L	< 54 UG/L
B053SB002	9/10/1999	4	100 UG/L	< 12 UJ UG/L	< 54 UG/L
B053TR001	6/7/1999	6	3500 UG/L	1300 UG/L	< 240 UG/L
B057AHP002	9/16/1999	17		2300 J UG/L	
B057AHP002	9/16/1999	17	380 UG/L		< 54 UG/L
B057AHP003	9/15/1999	17	1300 J UG/L	51000 UG/L	< 54 UJ UG/L
B057AHP004	9/13/1999	6	< 37 UG/L	21.9 J UG/L	< 53 UG/L
B057AHP006	9/9/1999	6	51 J UG/L	< 12 UG/L	< 55 UG/L
B057AHP008	9/16/1999	8	110 UG/L	16.5 J UG/L	< 54 UG/L
B057HA004	9/28/1999	0	41 J UG/L	23 J UG/L	< 54 UG/L
B073TR001	6/10/1999	5	160 J UG/L	1370 UG/L	< 230 UG/L
B120SB001	9/20/1999	4	130 J UG/L	< 12 UG/L	2800 J UG/L
B120SB002	9/20/1999	4	2000 J UG/L	< 12 UG/L	< 53 UJ UG/L
B154TR002	6/8/1999	4	3900 UG/L	16200 UG/L	< 1100 UG/L
B154TR003	6/8/1999	6	3300 J UG/L	24300 J UG/L	4100 J UG/L

Number of Detects:	13	9	2
Total Number of Analyses:	15	15	15
Minimum Concentration:	41	23	2800
Maximum Concentration:	3900	51000	4100
Mean Detected Concentration:	1155.92	10764.11	3450

Detected Analytes in Water
GRO, DRO and RRO by Method SW8015B
Previous Investigations

Location-ID	Sample Date	Depth(feet)	DIESEL (C10-C24)	GASOLINE (~C6-C10)	MOTOR OIL (C20-C36)	PHC as DIESEL FUEL (C10-C23	PHC as GASOLINE (C7-C12)
B103-W	3/19/2002	10					3100 UG/L
B118ATR005	9/19/2000	7	2700 UG/L		860 UG/L		
B154-99	3/15/2002	9					2480 UG/L
B154-W	3/15/2002	9					1800 UG/L
B53-W	3/14/2002	5				5.26 MG/L	3460 UG/L
L001TR001	2/13/2001	3	< 21 UJ UG/L	< 19 UJ UG/L	450 J UG/L		
L001TR007	2/14/2001	3	56 UG/L	< 17 UJ UG/L	< 39 UG/L		
L001TR008	2/14/2001	3	50 UG/L	< 26 UJ UG/L	67 J UG/L		
L002TR003	2/6/2001	4	< 28 UJ UG/L		77 J UG/L		
SHMPZ002	2/12/2002	15	< 20 UG/L	10 J UG/L	< 60 UG/L		
SHMPZ002	2/12/2002	15	< 21 UG/L	8.5 J UG/L	< 61 UG/L		
SHMPZ003	2/12/2002	59	< 21 UG/L	6.1 J UG/L	< 63 UG/L		
SHMPZ006	2/12/2002	29	< 23 UG/L	9.6 J UG/L	< 69 UG/L		
SHMPZ010	2/6/2002	29	< 20 UG/L	< 6 UG/L	64 J UG/L		
SHMPZ011	2/11/2002	15	< 21 UG/L	21 J UG/L	< 62 UG/L		
SHMPZ020	2/7/2002	29	< 21 UG/L	< 6 UG/L	85 J UG/L		
UST31GR01	5/25/2004	3	14000 J UG/L		< 230 UJ UG/L		

Number of Detects:	4	5	6	1	4
Total Number of Analyses:	17	17	17	17	17
Minimum Concentration:	50	10	64	526	1800
Maximum Concentration:	14000	96	860	526	3460
Mean Detected Concentration:	4201.5	54.6	267.17	526	2710

Detected Analytes in Water
Metals by Method SW6010B
Previous Investigations

Location-ID	Sample Date	Depth(feet)	ALUMINUM	ANTIMONY	ARSENIC	BARIUM	CALCIUM	CHROMIUM	CHROMIUM, HEXAVALENT	CHROMIUM, TOTAL	COPPER	IRON	LEAD	MAGNESIUM	MANGANESE	MOLYBDENUM	NICKEL	POTASSIUM	SELENIUM	SILVER	SODIUM	VANADIUM	ZINC
B053SB002	9/10/1999	4											0.0022 J MG/L										
B053TR001	6/7/1999	6											0.0022 J MG/L										
B056SB002	9/17/1999	9	< 0.0463 MG/L	< 0.0035 MG/L	0.0021 J MG/L	0.0071 J MG/L	13.8 MG/L	0.0123 J MG/L	0.011 J MG/L	0.0123 J MG/L	< 0.0027 MG/L	< 0.0105 MG/L	< 0.0021 MG/L	12.9 MG/L	< 0.0015 MG/L	< 0.0205 UJ MG/L	< 0.0089 MG/L	< 1.97 MG/L	< 0.0016 MG/L	< 0.0045 MG/L	79.2 MG/L	0.008 J MG/L	< 0.0058 MG/L
B057AGR001	9/7/1999	6	0.053 J MG/L	< 0.0035 MG/L	< 0.0018 MG/L	0.036 MG/L	13 MG/L	< 0.0047 MG/L	< 0.003 MG/L	< 0.0047 MG/L	0.0035 J MG/L	16 MG/L	< 0.0021 MG/L	23 MG/L	0.29 MG/L	< 0.0093 MG/L	0.019 J MG/L	22 MG/L	< 0.0016 MG/L	< 0.0045 MG/L	270 MG/L	< 0.0038 MG/L	0.014 J MG/L
B057AHP002	9/16/1999	17	< 0.0463 MG/L	< 0.0035 MG/L	< 0.0018 MG/L	0.0418 MG/L	74 MG/L	< 0.0047 MG/L	< 0.003 MG/L	< 0.0047 MG/L	< 0.0027 MG/L	< 0.0105 MG/L	< 0.0021 MG/L	21.1 MG/L	0.0467 MG/L	< 0.0168 UJ MG/L	< 0.0089 MG/L	2.47 J MG/L	< 0.0016 MG/L	< 0.0045 MG/L	209 MG/L	< 0.0038 MG/L	< 0.0058 MG/L
B057AHP003	9/15/1999	17	< 0.0463 MG/L	< 0.0035 MG/L	< 0.0018 MG/L	0.0298 MG/L	55.5 MG/L	< 0.0047 MG/L	< 0.003 MG/L	< 0.0047 MG/L	< 0.0027 MG/L	< 0.0105 MG/L	< 0.0021 MG/L	27.2 MG/L	0.252 MG/L	< 0.0162 UJ MG/L	< 0.0089 MG/L	2.39 J MG/L	< 0.0016 MG/L	< 0.0045 MG/L	176 J MG/L	< 0.0038 MG/L	< 0.0058 MG/L
B057AHP004	9/13/1999	6	< 0.0463 MG/L	0.0066 J MG/L	0.0033 J MG/L	0.0398 MG/L	53.2 MG/L	0.0224 MG/L	0.023 J MG/L	0.0224 MG/L	0.0032 J MG/L	< 0.0105 MG/L	< 0.0021 MG/L	22.5 MG/L	0.0077 MG/L	< 0.0112 UJ MG/L	0.0169 J MG/L	3.42 J MG/L	0.0018 J MG/L	< 0.0045 MG/L	219 MG/L	0.0093 J MG/L	< 0.0062 UJ MG/L
B057AHP005	9/10/1999	8	< 0.046 MG/L	< 0.0035 MG/L	0.067 MG/L	0.23 MG/L	150 MG/L	0.0064 J MG/L	< 0.003 MG/L	0.0064 J MG/L	0.0063 J MG/L	40 MG/L	< 0.0021 MG/L	170 MG/L	2.7 MG/L	< 0.0093 MG/L	< 0.0089 MG/L	45 MG/L	< 0.0016 MG/L	0.0047 J MG/L	1800 MG/L	0.0049 J MG/L	0.0092 J MG/L
B057AHP006	9/9/1999	6	0.054 J MG/L	0.0031 J MG/L	0.0025 J MG/L	0.095 MG/L	29 MG/L	< 0.0047 MG/L	< 0.003 MG/L	< 0.0047 MG/L	< 0.0027 MG/L	0.034 J MG/L	< 0.0021 MG/L	15 MG/L	0.27 MG/L	0.01 J MG/L	< 0.0089 MG/L	3.8 J MG/L	< 0.0016 MG/L	< 0.0045 MG/L	100 MG/L	< 0.0038 MG/L	0.0071 J MG/L
B057AHP008	9/16/1999	8	< 0.0463 MG/L	< 0.0035 MG/L	0.0171 MG/L	0.0542 MG/L	49.6 MG/L	< 0.0047 MG/L	< 0.003 MG/L	< 0.0047 MG/L	0.0074 J MG/L	< 0.0105 MG/L	< 0.0021 MG/L	9.64 MG/L	0.0209 MG/L	< 0.0168 UJ MG/L	0.0165 J MG/L	10.2 MG/L	< 0.0016 MG/L	< 0.0045 MG/L	361 MG/L	0.0121 J MG/L	< 0.0058 MG/L
B057HA004	9/28/1999	0	< 0.0697 UJ MG/L	0.021 J MG/L	0.0058 J MG/L	0.0625 J MG/L	46.7 J MG/L	< 0.0047 UJ MG/L	< 0.003 MG/L	< 0.0047 UJ MG/L	0.0112 J MG/L	< 0.0105 UJ MG/L	0.023 J MG/L	21.2 J MG/L	0.158 J MG/L	0.0135 J MG/L	0.0171 J MG/L	8.8 J MG/L	< 0.0016 UJ MG/L	< 0.0045 UJ MG/L	207 J MG/L	0.0129 J MG/L	0.0184 J MG/L
B154TR002	6/8/1999	4											0.0036 J MG/L										
B154TR003	6/8/1999	6											0.0035 J MG/L										
Number of Detects:			2	3	6	9	9	3	2	3	5	3	5	9	8	2	4	8	1	1	9	5	4
Total Number of Analyses:			13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
Minimum Concentration:			53	21	21	23	13	64	11	64	32	16	22	15	27	1	19	22	18	47	100	8	14
Maximum Concentration:			54	66	171	625	555	224	23	224	112	40	36	964	467	135	171	342	18	47	1800	129	184
Mean Detected Concentration:			53.5	39.33	62.5	278.44	272.67	137	17	137	63.2	30	27.6	246.78	155.75	68	131	140.38	18	47	459.33	80	90.25

Detected Analytes in Water
Metals by Method SW6010B
Previous Investigations

Location-ID	Sample Date	Depth(feet)	ALUMINUM	ANTIMONY	ARSENIC	BARIUM	BERYLLIUM	CADMIUM	CALCIUM	CHROMIUM	CHROMIUM, TOTAL	COBALT	COPPER	IRON	LEAD	MAGNESIUM	MANGANESE	MOLYBDENUM	NICKEL	POTASSIUM	SELENIUM	SODIUM	TIN	VANADIUM	ZINC
B103-W	3/19/2002	10													0.18 MG/L										
B154-99	3/15/2002	9													0.24 MG/L										
B154-W	3/15/2002	9													0.3 MG/L										
B53-W	3/14/2002	5													3.4 MG/L										
L001TR001	2/13/2001	3	< 0.0291 MG/L	< 0.0013 MG/L	0.00316 J MG/L	0.102 MG/L	< 0.0002 MG/L	< 0.0008 MG/L	84.2 MG/L	< 0.0029 MG/L	< 0.0029 MG/L	< 0.0051 MG/L	< 0.0015 MG/L	0.106 J MG/L	< 0.0011 MG/L	33 MG/L	2.12 MG/L	< 0.0036 MG/L	< 0.005 MG/L	1.24 J MG/L	< 0.0016 MG/L	131 MG/L	< 0.0167 MG/L	< 0.0023 MG/L	0.00568 J MG/L
L001TR007	2/14/2001	3	< 0.0291 MG/L	0.00132 J MG/L	< 0.0018 MG/L	0.0557 MG/L	< 0.0002 MG/L	< 0.0008 MG/L	87.4 MG/L	< 0.0029 MG/L	< 0.0029 MG/L	< 0.0051 MG/L	< 0.0015 MG/L	0.00949 J MG/L	< 0.0011 MG/L	26.9 MG/L	0.372 MG/L	< 0.0036 MG/L	< 0.005 MG/L	2.19 J MG/L	< 0.0016 MG/L	103 MG/L	< 0.0167 MG/L	< 0.0023 MG/L	0.0081 J MG/L
L001TR008	2/14/2001	3	< 0.0291 MG/L	0.00138 J MG/L	< 0.0018 MG/L	0.0424 MG/L	< 0.0002 MG/L	< 0.0008 MG/L	96.8 MG/L	< 0.0029 MG/L	< 0.0029 MG/L	< 0.0051 MG/L	< 0.0015 MG/L	0.0561 J MG/L	< 0.0011 MG/L	35.4 MG/L	0.107 MG/L	< 0.0036 MG/L	< 0.005 MG/L	< 1.07 MG/L	< 0.0016 MG/L	126 MG/L	< 0.0167 MG/L	< 0.0023 MG/L	< 0.0045 MG/L
L002TR003	2/6/2001	4	< 0.0291 MG/L	< 0.0013 MG/L	< 0.0018 MG/L	0.0104 MG/L	< 0.0002 MG/L	< 0.0008 MG/L	154 MG/L	< 0.0029 MG/L	< 0.0029 MG/L	< 0.0051 MG/L	< 0.0015 MG/L	0.00877 J MG/L	< 0.0011 MG/L	102 MG/L	0.172 MG/L	0.00877 J MG/L	< 0.0261 UJ MG/L	6.09 J MG/L	0.00205 J MG/L	222 MG/L	< 0.0167 MG/L	< 0.0023 MG/L	0.0244 MG/L
L002TR005	2/5/2001	1	35.8 MG/L	< 0.0013 MG/L	< 0.0018 MG/L	0.00906 J MG/L	0.00798 MG/L	0.00706 MG/L	339 MG/L	< 0.0029 MG/L	< 0.0029 MG/L	0.124 MG/L	0.0251 MG/L	0.377 MG/L	< 0.0011 MG/L	240 MG/L	3.27 MG/L	0.0159 J MG/L	0.437 MG/L	5.85 J MG/L	0.00446 J MG/L	165 MG/L	< 0.0167 MG/L	0.00247 J MG/L	0.922 MG/L
SHMPZ001	2/13/2002	10	< 0.0612 MG/L	< 0.0025 MG/L	0.0186 MG/L	0.196 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	215 MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	0.00619 J MG/L	< 0.0046 MG/L	1.07 MG/L	< 0.002 MG/L	454 MG/L	1.85 MG/L	< 0.0184 UJ MG/L	0.0105 J MG/L	101 MG/L	< 0.0042 MG/L	3950 MG/L	< 0.0334 MG/L	0.00844 J MG/L	0.0548 J+ MG/L
SHMPZ002	2/12/2002	15	< 0.0612 MG/L	< 0.0005 MG/L	0.0121 MG/L	0.282 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	170 MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	0.00868 J+ MG/L	< 0.0046 MG/L	11.1 MG/L	< 0.002 MG/L	250 MG/L	2.82 MG/L	< 0.0056 MG/L	< 0.0079 MG/L	56.1 MG/L	< 0.0042 MG/L	3090 MG/L	< 0.0334 MG/L	< 0.0035 MG/L	< 0.00242 UJ MG/L
SHMPZ002	2/12/2002	15	< 0.0612 MG/L	< 0.0005 MG/L	0.0115 MG/L	0.264 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	159 MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0046 MG/L	10.3 MG/L	< 0.002 MG/L	235 MG/L	2.64 MG/L	< 0.0056 MG/L	< 0.0079 MG/L	52.6 MG/L	< 0.0042 MG/L	2820 MG/L	< 0.0334 MG/L	< 0.0035 MG/L	< 0.00262 UJ MG/L
SHMPZ003	2/12/2002	59	< 0.0612 MG/L	< 0.0005 MG/L	0.0107 MG/L	0.26 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	157 MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	0.00686 J+ MG/L	< 0.0046 MG/L	10.2 MG/L	< 0.002 MG/L	233 MG/L	2.57 MG/L	< 0.0056 MG/L	< 0.0079 MG/L	52.7 MG/L	< 0.0042 MG/L	2870 MG/L	< 0.0334 MG/L	< 0.0035 MG/L	< 0.00659 UJ MG/L
SHMPZ004	2/13/2002	10	< 0.0612 MG/L	< 0.0025 MG/L	0.0514 MG/L	0.512 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	542 MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0059 MG/L	< 0.0046 MG/L	17.6 MG/L	< 0.002 MG/L	1280 MG/L	3.94 MG/L	< 0.0056 MG/L	< 0.0079 MG/L	135 MG/L	< 0.0042 MG/L	6770 MG/L	< 0.0334 MG/L	0.0169 MG/L	< 0.0023 MG/L
SHMPZ005	2/8/2002	10	< 0.0612 MG/L	< 0.0005 MG/L	0.0353 MG/L	1.34 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	247 MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0046 MG/L	34 MG/L	< 0.002 MG/L	229 MG/L	5.75 MG/L	0.0128 J MG/L	< 0.0079 MG/L	20.1 MG/L	< 0.0042 MG/L	1370 MG/L	< 0.0334 MG/L	< 0.0035 MG/L	0.044 J+ MG/L
SHMPZ006	2/12/2002	29	< 0.0612 MG/L	< 0.0005 MG/L	0.0188 MG/L	0.265 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	197 MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0046 MG/L	0.706 J MG/L	< 0.002 MG/L	405 MG/L	1.76 MG/L	0.0211 J MG/L	< 0.0079 MG/L	110 MG/L	< 0.0042 MG/L	3290 MG/L	< 0.0334 MG/L	0.0292 J MG/L	< 0.0192 UJ MG/L
SHMPZ007	2/6/2002	13	< 0.0612 MG/L	< 0.0005 MG/L	< 0.0012 MG/L	0.41 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	110 MG/L	< 0.0059 MG/L	< 0.0059 MG/L	< 0.0059 MG/L	< 0.0046 MG/L	< 0.025 MG/L	< 0.002 MG/L	34 MG/L	0.00168 J MG/L	< 0.0056 MG/L	< 0.0079 MG/L	1.07 J MG/L	< 0.001 UJ MG/L	93 MG/L	< 0.0334 MG/L	< 0.0035 MG/L	0.00439 J MG/L
SHMPZ009	2/6/2002	15	1.62 MG/L	< 0.0025 MG/L	0.00999 J MG/L	0.151 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	747 MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	0.0357 J- MG/L	< 0.0046 MG/L	10.2 MG/L	< 0.002 MG/L	933 MG/L	21.3 MG/L	0.028 J+ MG/L	0.0292 J MG/L	84.2 MG/L	< 0.0042 MG/L	5850 MG/L	< 0.0334 MG/L	0.00995 J MG/L	0.412 MG/L
SHMPZ010	2/6/2002	29	< 0.0612 MG/L	< 0.005 MG/L	< 0.0036 MG/L	0.0508 MG/L	< 0.0005 MG/L	0.00407 J MG/L	1940 MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	0.0169 J+ MG/L	< 0.0046 MG/L	< 0.025 MG/L	< 0.002 MG/L	3340 MG/L	30.7 MG/L	0.0565 J MG/L	0.0177 J MG/L	134 MG/L	< 0.0042 MG/L	20300 MG/L	0.037 J+ MG/L	0.00596 J MG/L	0.561 MG/L
SHMPZ011	2/11/2002	15	0.559 MG/L	< 0.0005 MG/L	0.0119 MG/L	0.169 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	255 MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0046 MG/L	1.81 MG/L	< 0.002 MG/L	389 MG/L	3.42 MG/L	< 0.00747 UJ MG/L	0.0193 J MG/L	86.5 MG/L	< 0.0042 MG/L	3140 MG/L	< 0.0334 MG/L	0.014 J MG/L	< 0.0173 UJ MG/L
SHMPZ012	2/7/2002	10	< 0.0612 MG/L	< 0.0005 MG/L	0.00449 MG/L	0.0494 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	36.7 MG/L	0.0151 J MG/L	0.0151 J MG/L	< 0.0059 MG/L	< 0.0046 MG/L	0.0369 J MG/L	< 0.002 MG/L	32.7 MG/L	0.0271 J MG/L	< 0.0056 MG/L	0.0104 J MG/L	3.44 J MG/L	< 0.001 MG/L	314 MG/L	< 0.0334 MG/L	0.012 J MG/L	0.0408 MG/L
SHMPZ017	2/5/2002	10	< 0.0612 MG/L	< 0.0005 MG/L	< 0.0012 MG/L	0.111 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	144 MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0046 MG/L	0.0311 J MG/L	< 0.002 MG/L	78.9 MG/L	0.416 MG/L	< 0.0056 MG/L	< 0.0079 MG/L	1.72 J MG/L	< 0.001 MG/L	79.8 MG/L	< 0.0334 MG/L	< 0.0035 MG/L	0.0365 J+ MG/L
SHMPZ019	2/7/2002	25	< 0.0612 MG/L	< 0.0005 MG/L	< 0.0012 MG/L	0.157 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	96.9 MG/L	< 0.0059 MG/L	< 0.0059 MG/L	< 0.0059 MG/L	< 0.0046 MG/L	< 0.025 MG/L	< 0.002 MG/L	51 MG/L	0.0427 J MG/L	< 0.0056 MG/L	< 0.0079 MG/L	1.92 J MG/L	< 0.001 MG/L	72.9 MG/L	< 0.0334 MG/L	< 0.0035 MG/L	0.00865 J MG/L
SHMPZ020	2/7/2002	29	< 0.0612 MG/L	< 0.0005 MG/L	< 0.0012 MG/L	0.188 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	144 MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0046 MG/L	< 0.025 MG/L	< 0.002 MG/L	67.5 MG/L	0.112 MG/L	< 0.0056 MG/L	< 0.0079 MG/L	2.7 J MG/L	< 0.001 MG/L	55.8 MG/L	< 0.0334 MG/L	< 0.0035 MG/L	0.0278 J MG/L
SHMPZ020	2/7/2002	29	0.449 MG/L	< 0.0005 MG/L	< 0.0012 MG/L	0.185 MG/L	< 0.0005 MG/L	< 0.0007 MG/L	146 MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0059 UJ MG/L	< 0.0046 MG/L	0.631 J MG/L	< 0.002 MG/L	67.8 MG/L	0.154 MG/L	< 0.0056 MG/L	< 0.0079 MG/L	2.99 J MG/L	0.00139 J MG/L	57.9 MG/L	< 0.0334 MG/L	0.00359 J MG/L	0.0495 J MG/L
UST31GR01	5/25/2004	3	< 0.06 MG/L	0.011 MG/L	< 0.0036 MG/L	0.122 MG/L	< 0.001 MG/L	< 0.0007 MG/L	25.1 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.03 MG/L	0.00213 J MG/L	13.2 MG/L	0.26 MG/L	0.0113 J MG/L	< 0.01 MG/L	5.81 MG/L	< 0.0042 MG/L	114 MG/L	< 0.05 MG/L	< 0.005 MG/L	0.0174 J MG/L

Number of Detects:	4	3	11	22	1	2	22	1	1	6	1	17	5	22	22	7	6	21	3	22	1	9	15
Total Number of Analyses:	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26
Minimum Concentration:	162	11	107	26	798	407	110	151	151	124	251	34	3	33	26	28	104	27	139	93	37	12	44
Maximum Concentration:	559	138	999	906	798	706	1940	151	151	868	251	949	213	3340	575	877	437	865	446	20300	37	995	922
Mean Detected Concentration:	382	93.67	315.18	268.09	798	556.5	451.68	151	151	470.5	251	341.35	58.4	519.64	261.77	297.29	218	345.76	263.33	2608.27	37	392	426.93

Detected Analytes in Water
Semi Volatile Organic Compounds by Method SW8270C
Expanded SI

Location-ID	Sample Date	Depth(feet)	2-METHYLPHENOL (o-CRESOL)	BENZENE ACETIC ACID	BENZENESULFONAMIDE, 4-METHYL-	BENZOIC ACID	bis(2-ETHYLHEXYL) PHTHALATE	BUTANOIC ACID	CAFFEINE	DIETHYL PHTHALATE	ETHANOL,2-(HEXYLOXY)	IBUPROFEN	N-HEXADECANOIC ACID	OCTADECANOIC ACID (STEARIC ACID	PHENOL	TOLUENE
B161SD02	10/28/2004	5	< 3.3 UG/L			< 4.7 UG/L	< 9.3 UG/L		6.6 NJ UG/L	< 5.4 UG/L		4.2 NJ UG/L	5.3 NJ UG/L		< 3.9 UG/L	
B168HP001	5/10/2004	5	< 13 UJ UG/L		85 NJ UG/L	28 J UG/L	190 J- UG/L			< 22 UJ UG/L			22 NJ UG/L	27 NJ UG/L	< 16 UJ UG/L	
OS29HP002	4/28/2004	73								23 J- UG/L	71 NJ UG/L					
OS29HP003	4/28/2004	32					200 J- UG/L			32 J UG/L						
SPUREHP001	4/26/2004	40								8.2 J UG/L						
SWAMPBHP002	5/10/2004	5	< 13 UJ UG/L		23 NJ UG/L	25 J UG/L	< 38 UJ UG/L			< 22 UJ UG/L					< 16 UJ UG/L	
VALERO117	4/28/2004	9	360 J- UG/L	110 NJ UG/L		150 J- UG/L		250 NJ UG/L							19 J UG/L	160 NJ UG/L
Number of Detects:			1	1	2	3	2	1	1	3	1	1	2	1	1	1
Total Number of Analyses:			7	7	7	7	7	7	7	7	7	7	7	7	7	7
Minimum Concentration:			360	110	23	25	190	250	66	23	71	42	22	27	19	160
Maximum Concentration:			360	110	85	150	200	250	66	82	71	42	53	27	19	160
Mean Detected Concentration:			360	110	54	67.67	195	250	66	45.67	71	42	37.5	27	19	160

Detected Analytes in Water
Polynuclear Aromatic Hydrocarbons by Method SW8310
Expanded SI

Location-ID	Sample Date	Depth(feet)	ACENAPHTHENE	ANTHRACENE	BENZO(a)ANTHRACENE	BENZO(a)PYRENE	BENZO(b)FLUORANTHEN	BENZO(g,h,i)PERYLENE	BENZO(k)FLUORANTHEN	CHRYSENE	DIBENZ(a,h)ANTHRACENE	FLUORANTHENE	FLUORENE	INDENO(1,2,3-c,d)PYRENE	PHENANTHRENE	PYRENE
B154HP001	5/20/2004	5	110 J UG/L	< 0.029 UG/L	87 UG/L	< 0.052 UG/L	29 UG/L	< 0.1 UG/L	10 J UG/L	< 0.029 UG/L	< 0.047 UG/L	< 0.055 UG/L	37 UG/L	< 0.035 UG/L	35 UG/L	< 0.087 UG/L
FS001HP001	5/20/2004	5	< 0.49 UG/L	< 0.03 UG/L	< 0.025 UG/L	< 0.053 UG/L	< 0.053 UG/L	< 0.085 UG/L	< 0.041 UG/L	< 0.03 UG/L	< 0.066 UG/L	< 0.056 UG/L	0.24 J UG/L	< 0.05 UG/L	0.21 J UG/L	< 0.09 UG/L
FS001HP012	5/20/2004	5	< 0.55 UG/L	0.52 J+ UG/L	5.3 UG/L	3.9 UG/L	5.3 J+ UG/L	4.6 J+ UG/L	3.9 J+ UG/L	5.5 UG/L	2.6 J+ UG/L	18 J UG/L	< 0.094 UG/L	4.8 UG/L	4.2 J+ UG/L	12 UG/L
Number of Detects:			1	1	2	1	2	1	2	1	1	1	2	1	3	1
Total Number of Analyses:			3	3	3	3	3	3	3	3	3	3	3	3	3	3
Minimum Concentration:			110	52	53	39	29	46	10	55	26	18	24	48	21	12
Maximum Concentration:			110	52	87	39	53	46	39	55	26	18	37	48	42	12
Mean Detected Concentration:			110	52	70	39	41	46	24.5	55	26	18	30.5	48	32.67	12

Detected Analytes in Water
Volatile Organics and Oxygenates by Method SW8260B
Expanded SI

Location-ID	Sample Date	Depth(feet)	1,1,2-TRICHLOROETHANE	1,1-DICHLOROETHANE	1,1-DICHLOROETHENE	1,2,3-TRICHLOROBENZENE	1,2,4-TRICHLOROBENZENE	1,2,4-TRIMETHYLBENZENE	1,2-DICHLOROBENZENE	1,2-DICHLOROETHANE	1,2-DICHLOROPROPANE	1,3,5-TRIMETHYLBENZENE (MESITYLENE	1,4-DICHLOROBENZENE	1-BROMOPROPANE	20536-40-7	2-METHYLBUTANE	2-METHYLPENTANE	ACETONE	BENZENE	BROMODICHLOROMETHANE	CARBON DISULFIDE	CHLOROBENZENE	CHLOROETHANE	CHLOROFORM	CHLOROMETHANE	cis-1,2-DICHLOROETHYLENE	CYCLOHEXANE
B004HP001	5/11/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
B004HP002	5/11/2004	68	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	0.47 J UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	40 UG/L	
B004HP003	5/18/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	0.51 J UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
B031HP001	5/4/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	68 UG/L	
B031HP003	5/20/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	12 UG/L	
B050HP001	5/18/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
B053HP001	5/4/2004	7	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	0.54 J UG/L	0.35 J UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
B056AHP001	5/7/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	0.28 J UG/L	< 0.3 UG/L	< 0.37 UG/L	
B057AHP003	5/26/2004	5	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L			45 NJ UG/L	10 NJ UG/L	< 1.9 UG/L	2.9 UG/L	< 0.15 UG/L	< 0.13 UG/L	< 0.12 UG/L	2.8 UG/L	0.32 J UG/L	< 0.4 UG/L	81 UG/L	13 NJ UG/L
B057AHP005	5/26/2004	3	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					< 1.9 UG/L	< 0.18 UG/L	< 0.15 UG/L	0.38 J UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.4 UG/L	0.35 J UG/L	
B057AHP005	9/17/2004	5	< 0.23 UG/L	0.21 J UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					4.6 J UG/L	< 0.18 UG/L	< 0.15 UG/L	4.9 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.4 UG/L	0.51 J UG/L	
B057AHP006	5/26/2004	3	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					< 1.9 UG/L	< 0.18 UG/L	< 0.15 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.4 UG/L	< 0.13 UG/L	
B059(A)HP001	5/6/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	1.5 UG/L	< 0.3 UG/L	0.79 J UG/L	
B059HP001	4/29/2004	2	< 0.33 UG/L	< 0.34 UG/L	1.7 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						0.44 J UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	45 UG/L	
B089SD01	9/17/2004	2	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					< 1.9 UG/L	< 0.18 UG/L	0.4 J UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.18 UG/L	9.8 UG/L	< 0.4 UG/L	7.9 UG/L	
B089SD01	10/28/2004	2	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					< 1.9 UG/L	< 0.18 UG/L	0.22 J UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.18 UG/L	5 UG/L	< 0.4 UG/L	7 UG/L	
B089SD02	10/28/2004	5	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					< 1.9 UG/L	< 0.18 UG/L	1 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.18 UG/L	4.1 UG/L	< 0.4 UG/L	< 0.13 UG/L	
B090HP001	5/4/2004	8	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	13 UG/L	
B091AHP001	5/4/2004	5	< 0.33 UG/L	0.47 J UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	1.3 UG/L	
B091HP001	5/4/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						0.91 J UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	2.7 UG/L	
B091SD02	10/28/2004	5	< 0.23 UG/L	< 0.12 UG/L	0.16 J UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	0.7 J UG/L					2.9 J UG/L	< 0.18 UG/L	< 0.15 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.18 UG/L	0.12 J UG/L	< 0.4 UG/L	9.1 UG/L	
B091SD04	10/28/2004	2	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					3.3 J UG/L	< 0.18 UG/L	< 0.15 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.4 UG/L	< 0.13 UG/L	
B111HP001	5/18/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
B116SD01	10/28/2004	5	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					< 1.9 UG/L	< 0.18 UG/L	0.41 J UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.18 UG/L	2.2 UG/L	< 0.4 UG/L	3.5 UG/L	
B118AHP002	5/5/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	13 UG/L	
B120HP001	5/5/2004	2	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	2.4 UG/L	< 0.3 UG/L	110 UG/L	
B120HP002	5/6/2004	5	< 0.66 UG/L	< 0.68 UG/L	0.91 J UG/L	< 0.88 UG/L	< 0.68 UG/L	< 0.44 UG/L	< 0.58 UG/L	< 0.68 UG/L	< 0.7 UG/L	< 0.58 UG/L	< 0.56 UG/L						< 0.74 UG/L	< 0.46 UG/L		< 0.54 UG/L	< 0.6 UG/L	< 0.56 UG/L	< 0.6 UG/L	6500 UG/L	
B120HP002	5/20/2004	34	< 6.6 UG/L	< 6.8 UG/L	< 7.6 UG/L	< 8.8 UG/L	< 6.8 UG/L	< 4.4 UG/L	< 5.8 UG/L	< 6.8 UG/L	< 7 UG/L	< 5.8 UG/L	< 5.6 UG/L						< 7.4 UG/L	< 4.6 UG/L		< 5.4 UG/L	< 6 UG/L	< 5.6 UG/L	< 6 UG/L	230 UG/L	
B120HP003	5/24/2004	5	< 0.33 UG/L	< 0.34 UG/L	0.83 J UG/L	< 0.44 UG/L	< 0.34 UG/L	0.95 J UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	150 UG/L	
B120HP004	5/5/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	4.8 UG/L	
B154HP001	5/11/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
B154HP001	5/12/2004	30	< 0.33 UG/L	0.52 J UG/L	2.9 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	0.4 J UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						0.59 J UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	1.1 UG/L	990 UG/L	
B154HP002	5/10/2004	42	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	2.3 UG/L	
B161HP001	5/26/2004	49	< 0.23 UG/L	< 0.12 UG/L	0.75 J UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	0.68 J UG/L	0.46 J UG/L	< 0.15 UG/L	< 0.14 UG/L					< 1.9 UG/L	< 0.18 UG/L	< 0.15 UG/L	0.37 J UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.4 UG/L	110 UG/L	
B161HP001	5/26/2004	9	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	1.3 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					< 1.9 UG/L	< 0.18 UG/L	< 0.15 UG/L	< 0.13 UG/L	0.24 J UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.4 UG/L	0.85 J UG/L	
B161HP002	5/24/2004	19	< 0.33 UG/L	0.43 J UG/L	4.5 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	0.76 J UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						0.68 J UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	0.98 J UG/L	230 UG/L	
B161HP002	5/24/2004	5	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					18 UG/L	0.51 UG/L	< 0.15 UG/L	0.64 J UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.4 UG/L	1.2 UG/L	
B161SD02	10/28/2004	5	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	0.68 J UG/L					3.7 J UG/L	< 0.18 UG/L	< 0.15 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.18 UG/L	0.38 J UG/L	< 0.4 UG/L	5.4 UG/L	
B165AHP001	5/12/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	4.9 UG/L	
B165AHP002	5/13/2004	10	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	0.38 J UG/L	< 0.3 UG/L	< 0.37 UG/L	
B165HP001	4/30/2004	6	13 UG/L	2.8 UG/L	270 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	3 UG/L	0.74 J UG/L	0.43 J UG/L	< 0.29 UG/L	0.86 J UG/L						1.8 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	46000 UG/L	
B165HP001	5/20/2004	36	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	13 UG/L	
B165HP002	4/30/2004	5	< 0.33 UG/L	0.75 J UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	1.3 UG/L	
B165SD01	9/17/2004	4	< 0.23 UG/L	< 0.12 UG/L	2.8 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					4.1 J UG/L	< 0.18 UG/L	0.16 J UG/L	0.15 J UG/L	0.13 J UG/L	0.24 J UG/L	0.35 J UG/L	< 0.4 UG/L	630 UG/L	
B165SD01	10/28/2004	4	< 0.23 UG/L	< 0.12 UG/L	0.52 J UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					< 1.9 UG/L	< 0.18 UG/L	< 0.15 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.18 UG/L	0.38 J UG/L	< 0.4 UG/L	170 UG/L	
B165SD02	9/17/2004	4	< 0.23 UG/L	< 0.12 UG/L	0.76 J UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	0.45 J UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	0.17 J UG/L					< 1.9 UG/L	< 0.18 UG/L	< 0.15 UG/L	1.9 UG/L	0.82 J UG/L	0.51 J UG/L	< 0.12 UG/L	< 0.4 UG/L	680 UG/L	
B165SD03	9/17/2004	3	< 0.23 UG/L	< 0.12 UG/L	0.57 J UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	0.17 J UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	0.17 J UG/L					< 1.9 UG/L	< 0.18 UG/L	< 0.15 UG/L	0.34 J UG/L	0.32 J UG/L	< 0.18 UG/L	0.19 J UG/L	< 0.4 UG/L	170 UG/L	
B165SD03	10/28/2004	3	< 0.23 UG/L	< 0.12 UG/L	0.32 J UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					2.2 J UG/L	< 0.18 UG/L	< 0.15 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.18 UG/L	0.46 J UG/L	< 0.4 UG/L	97 UG/L	
B165SD05	10/28/2004	4	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					< 1.9 UG/L	< 0.18 UG/L	< 0.15 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.18 UG/L	0.52 J UG/L	< 0.4 UG/L	2.2 UG/L	
B165SD20	10/28/2004	5	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					< 1.9 UG/L	< 0.18 UG/L	< 0.15 UG/L	0.23 J UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.4 UG/L	5.2 UG/L	
B167HP002	5/7/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
B56ASD01	9/17/2004	2	< 0.23 UG/L	0.23 J UG/L	0.22 J UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					< 1.9 UG/L	< 0.18 UG/L	0.41 J UG/L	0.19 J UG/L	< 0.12 UG/L	< 0.18 UG/L	25 UG/L	< 0.4 UG/L	9.9 UG/L	
B56ASD02	9/17/2004	3	< 0.23 UG/L	0.15 J UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L	1.4 NJ UG/L				< 1.9 UG/L	< 0.18 UG/L	0.51 J UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.18 UG/L	25 UG/L	< 0.4 UG/L	7 UG/L	
CitySD02	10/28/2004	3	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	0.2 J UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					4.2 J UG/L	< 0.18 UG/L	< 0.15 UG/L	< 0.13 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.4 UG/L	< 0.13 UG/L	
FS001HP001	5/5/2004	3	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						0.41 J UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	4.8 UG/L	
FS001HP002	5/14/2004	46	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	0.63 J UG/L	
FS001HP003	5/14/2004	76	< 0.33 UG/L	< 0.34 UG/L	1.4 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	70 UG/L	
FS001HP004	5/6/2004	0	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	0.23 J UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
FS001HP005	5/6/2004	0	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	13 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	3.4 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
FS001HP006	5/6/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	2.5 UG/L	
FS001HP007	5/12/2004	18	< 0.33 UG/L	< 0.34 UG/L	4.2 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	6.7 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	1.2 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	420 UG/L	
FS001HP007	5/12/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	0.29 J UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	21 UG/L	
FS001HP008	5/12/2004	37	< 0.66 UG/L	< 0.68 UG/L	1.5 J UG/L	< 0.88 UG/L	< 0.68 UG/L	< 0.44 UG/L	< 0.58 UG/L	< 0.68 UG/L	< 0.7 UG/L	< 0.58 UG/L	< 0.56 UG/L						< 0.74 UG/L	< 0.46 UG/L		< 0.54 UG/L	< 0.6 UG/L	< 0.56 UG/L	< 0.6 UG/L	270 UG/L	
FS001HP008	5/12/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	7.7 UG/L	

Detected Analytes in Water
Volatile Organics and Oxygenates by Method SW8260B
Expanded SI

Location-ID	Sample Date	Depth(feet)	1,1,2-TRICHLOROETHANE	1,1-DICHLOROETHANE	1,1-DICHLOROETHENE	1,2,3-TRICHLOROBENZENE	1,2,4-TRICHLOROBENZENE	1,2,4-TRIMETHYLBENZENE	1,2-DICHLOROBENZENE	1,2-DICHLOROETHANE	1,2-DICHLOROPROPANE	1,3,5-TRIMETHYLBENZENE (MESITYLENE	1,4-DICHLOROBENZENE	1-BROMOPROPANE	20536-40-7	2-METHYLBUTANE	2-METHYLPENTANE	ACETONE	BENZENE	BROMODICHLOROMETHANE	CARBON DISULFIDE	CHLOROBENZENE	CHLOROETHANE	CHLOROFORM	CHLOROMETHANE	cis-1,2-DICHLOROETHYLENE	CYCLOHEXANE
FS001HP010	5/17/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	8.9 UG/L	
FS001HP011	5/17/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	3.2 UG/L	< 0.3 UG/L	36 UG/L	
FS001HP012	5/18/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	0.33 J UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	12 UG/L	
FS001HP012	5/18/2004	23	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	3.3 UG/L	
FS003HP002	4/29/2004	10	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
OD01HP001	4/29/2004	1	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
OD01HP002	4/30/2004	2	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
OD01HP003	4/29/2004	4	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
OS29HP003	4/28/2004	32	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	0.75 J UG/L	< 0.3 UG/L	< 0.37 UG/L	
SHMPZ002	5/7/2004	10	< 0.33 UG/L	< 0.34 UG/L	0.72 J UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	120 UG/L	
SHMPZ002	9/17/2004	2	< 0.23 UG/L	0.14 J UG/L	0.56 J UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L					< 1.9 UG/L	< 0.18 UG/L	< 0.15 UG/L	2.5 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.4 UG/L	100 UG/L	
SHMPZ005	5/6/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
SHMPZ005	5/6/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
SHMPZ005	9/17/2004	3	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	< 0.14 UG/L		0.75 NJ UG/L			2.7 J UG/L	< 0.18 UG/L	< 0.15 UG/L	2.4 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.4 UG/L	0.14 J UG/L	
SHMPZ012	5/6/2004	7	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
Sump1GR01	10/28/2004	6	< 0.23 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.17 UG/L	< 0.2 UG/L	< 0.14 UG/L	< 0.16 UG/L	< 0.17 UG/L	< 0.17 UG/L	< 0.15 UG/L	0.36 J UG/L					< 1.9 UG/L	< 0.18 UG/L	< 0.15 UG/L	< 0.13 UG/L	1.1 UG/L	< 0.18 UG/L	1 UG/L	< 0.4 UG/L	11 UG/L	
SWAMPAHP003	5/10/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
SWAMPAHP005	5/7/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	3.1 UG/L	
SWAMPAHP008	5/18/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
SWAMPBHP001	5/21/2004	20	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	0.7 J UG/L	
SWAMPBHP003	5/7/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	0.44 J UG/L	
SWAMPBHP004	5/7/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	0.66 J UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
SWAMPBHP005	5/6/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	0.5 J UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
VALERO117	4/28/2004	9	< 16.5 UG/L	< 17 UG/L	< 19 UG/L	< 22 UG/L	< 17 UG/L	< 11 UG/L	< 14.5 UG/L	< 17 UG/L	< 17.5 UG/L	< 14.5 UG/L	< 14 UG/L						< 18.5 UG/L	< 11.5 UG/L		< 13.5 UG/L	< 15 UG/L	16 J UG/L	< 15 UG/L	< 18.5 UG/L	
WA01HP001	4/29/2004	5	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	0.33 J UG/L	< 0.3 UG/L	6.8 UG/L	
WA01HP001	5/21/2004	16	< 0.33 UG/L	< 0.34 UG/L	0.49 J UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	0.69 J UG/L	< 0.3 UG/L	14 UG/L	
WA01HP001	5/21/2004	63	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	< 0.28 UG/L	< 0.3 UG/L	< 0.37 UG/L	
WA01HP002	5/21/2004	40	< 0.33 UG/L	< 0.34 UG/L	1.9 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	0.39 J UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	1.2 UG/L	< 0.3 UG/L	14 UG/L	
WA01HP003	5/21/2004	43	< 0.66 UG/L	< 0.68 UG/L	1.8 J UG/L	< 0.88 UG/L	< 0.68 UG/L	< 0.44 UG/L	< 0.58 UG/L	< 0.68 UG/L	< 0.7 UG/L	< 0.58 UG/L	< 0.56 UG/L						< 0.74 UG/L	< 0.46 UG/L		< 0.54 UG/L	< 0.6 UG/L	< 0.56 UG/L	< 0.6 UG/L	4.3 UG/L	
WA01HP003	5/21/2004	7	< 0.33 UG/L	< 0.34 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.34 UG/L	< 0.22 UG/L	< 0.29 UG/L	< 0.34 UG/L	< 0.35 UG/L	< 0.29 UG/L	< 0.28 UG/L						< 0.37 UG/L	< 0.23 UG/L		< 0.27 UG/L	< 0.3 UG/L	0.79 J UG/L	< 0.3 UG/L	< 0.37 UG/L	
Number of Detects:			1	9	22	3	1	5	6	6	2	1	8	1	1	1	1	9	8	7	11	5	3	26	2	64	1
Total Number of Analyses:			94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94
Minimum Concentration:			13	14	14	51	35	2	3	4	43	34	7	14	75	45	10	18	18	1	15	11	24	1	11	7	13
Maximum Concentration:			13	75	270	66	35	95	67	76	46	34	86	14	75	45	10	46	91	51	64	82	51	98	98	46000	13
Mean Detected Concentration:			13	35.33	53.55	57	35	27.6	29	51.33	44.5	34	34.5	14	75	45	10	32.78	50.13	25.14	31.55	32.4	34.33	35	54.5	919.73	13

Detected Analytes in Water
Volatile Organics and Oxygenates by Method SW8260B
Expanded SI

Location-ID	Sample Date	Depth(feet)	DIBROMOCHLOROMETHANE	ETHYLBENZENE	GASOLINE (~C6-C10)	HEXACHLOROBUTADIENE	ISOBUTANE	ISOPROPYL ETHER	ISOPROPYLBENZENE (CUMENE)	M,P-XYLENE (SUM OF ISOMERS)	METHYL ETHYL KETONE (2-BUTANONE)	METHYLCYCLOHEXANE	METHYLCYCLOPENTANE	NAPHTHALENE	n-BUTYLBENZENE	N-PENTANE(C5)	n-PROPYLBENZENE	O-XYLENE (1,2-DIMETHYLBENZENE)	P-CYMENE (p-ISOPROPYLTOLUENE)	SEC-BUTYLBENZENE	t-BUTYLBENZENE	tert-BUTYL METHYL ETHER	TETRACHLOROETHYLENE(PCE)	TOLUENE	trans-1,2-DICHLOROETHENE	TRICHLOROETHYLENE (TCE)	UNKNOWN	VINYL CHLORIDE
B004HP001	5/11/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		0.39 J UG/L
B004HP002	5/11/2004	68	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	0.77 J UG/L	0.96 J UG/L		< 0.12 UG/L
B004HP003	5/18/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				0.86 J UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	1 J UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
B031HP001	5/4/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				0.5 J UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	3.6 UG/L	1.6 UG/L		16 UG/L
B031HP003	5/20/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	0.82 J UG/L	0.71 J UG/L	< 0.31 UG/L		< 0.12 UG/L
B050HP001	5/18/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	0.95 J UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	0.52 J UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	0.69 J UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
B053HP001	5/4/2004	7	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	0.75 J UG/L			< 0.29 UG/L	< 0.69 UG/L				0.47 J UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	0.6 J UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
B056AHP001	5/7/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	0.51 J UG/L		< 0.12 UG/L
B057AHP003	5/26/2004	5	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L	12 NJ UG/L	< 0.13 UG/L	0.39 J UG/L	< 0.24 UG/L	< 1.8 UG/L	7.1 NJ UG/L	18 NJ UG/L	< 0.27 UG/L	< 0.14 UG/L	26 NJ UG/L	< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	2 UG/L	< 0.12 UG/L	1.8 UG/L	92 UG/L	20 NJ UG/L	18 UG/L
B057AHP005	5/26/2004	3	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L		< 0.25 UG/L
B057AHP005	9/17/2004	5	< 0.19 UG/L	0.15 J UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	0.17 J UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L		< 0.25 UG/L
B057AHP006	5/26/2004	3	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	0.26 J UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L		< 0.25 UG/L
B059(A)HP001	5/6/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	2.7 UG/L	< 0.33 UG/L	1.3 UG/L		< 0.12 UG/L
B059HP001	4/29/2004	2	< 0.39 UG/L	< 0.27 UG/L	130 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	1.5 UG/L	1.2 UG/L	0.45 J UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	0.78 J UG/L		11 UG/L
B089SD01	9/17/2004	2	0.25 J UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	4.9 UG/L		0.91 J UG/L
B089SD01	10/28/2004	2	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		0.24 J UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	5.4 UG/L		0.86 J UG/L
B089SD02	10/28/2004	5	0.36 J UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L		< 0.25 UG/L
B090HP001	5/4/2004	8	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				0.63 J UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	0.52 J UG/L	< 0.42 UG/L	2.4 UG/L	96 UG/L		< 0.12 UG/L
B091AHP001	5/4/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
B091HP001	5/4/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	0.41 J UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	0.59 J UG/L	< 0.33 UG/L	< 0.31 UG/L		0.87 J UG/L
B091SD02	10/28/2004	5	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	0.69 J UG/L	11 UG/L		0.32 J UG/L
B091SD04	10/28/2004	2	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L		< 0.25 UG/L
B111HP001	5/18/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	0.32 J UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
B116SD01	10/28/2004	5	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		0.31 J UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	0.24 J UG/L	11 UG/L		< 0.25 UG/L
B118AHP002	5/5/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	11 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
B120HP001	5/5/2004	2	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	1.4 UG/L	130 UG/L		3.8 UG/L
B120HP002	5/6/2004	5	< 0.78 UG/L	< 0.54 UG/L	< 50 UG/L	< 0.92 UG/L			< 0.58 UG/L	< 1.38 UG/L				1.3 J UG/L	< 0.48 UG/L		< 0.52 UG/L	< 0.66 UG/L	< 0.72 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.56 UG/L	< 0.72 UG/L	< 0.84 UG/L	9.4 UG/L	2.8 UG/L		230 UG/L
B120HP002	5/20/2004	34	< 7.8 UG/L	< 5.4 UG/L	< 500 UG/L	< 9.2 UG/L			< 5.8 UG/L	< 13.8 UG/L				< 9.4 UG/L	< 4.8 UG/L		< 5.2 UG/L	< 6.6 UG/L	< 7.2 UG/L	< 3.8 UG/L	< 4.4 UG/L	< 5.6 UG/L	< 7.2 UG/L	< 8.4 UG/L	< 6.6 UG/L	1100 UG/L		16 J UG/L
B120HP003	5/24/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	0.87 J UG/L				1.5 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	0.48 J UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	3.6 UG/L	57 UG/L		2.5 UG/L
B120HP004	5/5/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	1.4 UG/L		0.79 J UG/L
B154HP001	5/11/2004	5	< 0.39 UG/L	< 0.27 UG/L	250 UG/L	< 0.46 UG/L			3.5 UG/L	< 0.69 UG/L				< 0.47 UG/L	9.6 UG/L		1.9 UG/L	< 0.33 UG/L	< 0.36 UG/L	15 UG/L	1.6 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
B154HP001	5/12/2004	30	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	16 UG/L	< 0.31 UG/L		0.37 J UG/L
B154HP002	5/10/2004	42	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
B161HP001	5/26/2004	49	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	3.3 UG/L	2 UG/L		0.27 J UG/L
B161HP001	5/26/2004	9	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		0.67 J UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L		< 0.25 UG/L
B161HP002	5/24/2004	19	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	12 UG/L	460 UG/L		5.1 UG/L
B161HP002	5/24/2004	5	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	4 J UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	0.22 J UG/L	< 0.15 UG/L	0.41 J UG/L		0.61 J UG/L
B161SD02	10/28/2004	5	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	0.34 J UG/L	5.1 UG/L		< 0.25 UG/L
B165AHP001	5/12/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
B165AHP002	5/13/2004	10	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
B165HP001	4/30/2004	6	< 0.39 UG/L	0.45 J UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	2.6 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	3.2 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	0.57 J UG/L	4 UG/L	3200 UG/L	32000 UG/L		4600 UG/L
B165HP001	5/20/2004	36	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	2.6 UG/L	6.9 UG/L		6.6 UG/L
B165HP002	4/30/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
B165SD01	9/17/2004	4	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		1.1 J UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	0.13 J UG/L	130 UG/L	97 UG/L		94 UG/L
B165SD01	10/28/2004	4	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	1.3 UG/L	< 0.12 UG/L	13 UG/L	860 UG/L		9.8 UG/L
B165SD02	9/17/2004	4	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		0.27 J UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	0.3 J UG/L	38 UG/L	6.2 UG/L		340 UG/L
B165SD03	9/17/2004	3	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		1.2 J UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	1 UG/L	26 UG/L	20 UG/L		65 UG/L
B165SD03	10/28/2004	3	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	0.79 J UG/L	0.45 J UG/L	8.1 UG/L	410 UG/L		6.2 UG/L
B165SD05	10/28/2004	4	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	2.6 UG/L		< 0.25 UG/L
B165SD20	10/28/2004	5	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		0.34 J UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	2.2 UG/L		< 0.25 UG/L
B167HP002	5/7/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				0.61 J UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
B56ASD01	9/17/2004	2	0.2 J UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	0.34 J UG/L	19 UG/L		< 0.25 UG/L
B56ASD02	9/17/2004	3	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	0.28 J UG/L	12 UG/L		< 0.25 UG/L
CitySD02	10/28/2004	3	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	0.32 J UG/L	< 0.15 UG/L	< 0.15 UG/L		< 0.25 UG/L
FS001HP001	5/5/2004	3	< 0.39 UG/L	< 0.27 UG/L	130 UG/L	< 0.46 UG/L			0.97 J UG/L	< 0.69 UG/L				0.93 J UG/L	2.2 UG/L		0.63 J UG/L	< 0.33 UG/L	< 0.36 UG/L	2.3 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		6.8 UG/L
FS001HP002	5/14/2004	46	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
FS001HP003	5/14/2004	76	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	58 UG/L	9.5 UG/L		0.41 J UG/L
FS001HP004	5/6/2004	0	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
FS001HP005	5/6/2004	0	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				0.83 J UG/L	0.24 UG/L		0.44 J UG/L	0.34 J UG/L	0.69 J UG/L	0.47 J UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
FS001HP006	5/6/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
FS001HP007	5/12/2004	18	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	2.4 UG/L	< 0.42 UG/L	140 UG/L	3400 UG/L		4.9 UG/L
FS001HP007	5/12/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	0.46 J UG/L	5.5 UG/L		6 UG/L
FS001HP008	5/12/2004	37	< 0.78 UG/L	< 0.54 UG/L	< 50 UG/L	< 0.92 UG/L			< 0.58 UG/L	< 1.38 UG/L				< 0.94 UG/L	< 0.48 UG/L		< 0.52 UG/L	< 0.66 UG/L	< 0.72 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.56 UG/L	< 0.72 UG/L	< 0.84 UG/L	13 UG/L	< 0.62 UG/L		2.1 UG/L
FS001HP008	5/12/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	4 UG/L		< 0.12 UG/L

Detected Analytes in Water
Volatile Organics and Oxygenates by Method SW8260B
Expanded SI

Location-ID	Sample Date	Depth(feet)	DIBROMOCHLOROMETHANE	ETHYLBENZENE	GASOLINE (~C6-C10)	HEXACHLOROBUTADIENE	ISOBUTANE	ISOPROPYL ETHER	ISOPROPYLBENZENE (CUMENE)	M,P-XYLENE (SUM OF ISOMERS)	METHYL ETHYL KETONE (2-BUTANONE)	METHYLCYCLOHEXANE	METHYLCYCLOPENTANE	NAPHTHALENE	n-BUTYLBENZENE	N-PENTANE(C5)	n-PROPYLBENZENE	O-XYLENE (1,2-DIMETHYLBENZENE)	P-CYMENE (p-ISOPROPYLTOLUENE)	SEC-BUTYLBENZENE	t-BUTYLBENZENE	tert-BUTYL METHYL ETHER	TETRACHLOROETHYLENE(PCE)	TOLUENE	trans-1,2-DICHLOROETHENE	TRICHLOROETHYLENE (TCE)	UNKNOWN	VINYL CHLORIDE
FS001HP010	5/17/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	0.92 J UG/L		< 0.12 UG/L
FS001HP011	5/17/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	2.5 UG/L	22 UG/L		< 0.12 UG/L
FS001HP012	5/18/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	0.3 J UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	0.61 J UG/L		< 0.12 UG/L
FS001HP012	5/18/2004	23	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		1.9 UG/L
FS003HP002	4/29/2004	10	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	0.94 J UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
OD01HP001	4/29/2004	1	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	4.2 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
OD01HP002	4/30/2004	2	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	0.29 J UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
OD01HP003	4/29/2004	4	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	0.91 J UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
OS29HP003	4/28/2004	32	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
SHMPZ002	5/7/2004	10	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	45 UG/L	1.5 UG/L		0.52 J UG/L
SHMPZ002	9/17/2004	2	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	54 UG/L	0.71 J UG/L		0.81 J UG/L
SHMPZ005	5/6/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				0.52 J UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		0.25 J UG/L
SHMPZ005	5/6/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				0.69 J UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		0.25 J UG/L
SHMPZ005	9/17/2004	3	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		< 0.13 UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	< 0.15 UG/L	< 0.15 UG/L		< 0.25 UG/L
SHMPZ012	5/6/2004	7	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	1.3 UG/L	< 0.42 UG/L	< 0.33 UG/L	25 UG/L		< 0.12 UG/L
Sump1GR01	10/28/2004	6	< 0.19 UG/L	< 0.11 UG/L		< 0.19 UG/L		0.22 J UG/L	< 0.16 UG/L	< 0.24 UG/L	< 1.8 UG/L			< 0.27 UG/L	< 0.14 UG/L		< 0.15 UG/L	< 0.12 UG/L	< 0.18 UG/L	< 0.18 UG/L	< 0.13 UG/L	< 0.13 UG/L	< 0.18 UG/L	< 0.12 UG/L	0.72 J UG/L	31 UG/L		0.64 J UG/L
SWAMPAHP003	5/10/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	2.4 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
SWAMPAHP005	5/7/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	1.9 UG/L		< 0.12 UG/L
SWAMPAHP008	5/18/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	1.4 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	0.53 J UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	3.6 UG/L	< 0.36 UG/L	2.4 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
SWAMPBHP001	5/21/2004	20	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				0.66 J UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	0.91 J UG/L		< 0.12 UG/L
SWAMPBHP003	5/7/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
SWAMPBHP004	5/7/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	0.83 J UG/L			< 0.29 UG/L	< 0.69 UG/L				0.53 J UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
SWAMPBHP005	5/6/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				1.7 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
VALERO117	4/28/2004	9	< 19.5 UG/L	< 13.5 UG/L	< 1250 UG/L	< 23 UG/L			< 14.5 UG/L	< 34.5 UG/L				< 23.5 UG/L	< 12 UG/L		< 13 UG/L	< 16.5 UG/L	< 18 UG/L	< 9.5 UG/L	< 11 UG/L	< 14 UG/L	< 18 UG/L	730 UG/L	< 16.5 UG/L	< 15.5 UG/L		< 6 UG/L
WA01HP001	4/29/2004	5	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	1.6 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	160 UG/L		0.55 J UG/L
WA01HP001	5/21/2004	16	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	0.42 J UG/L	< 0.36 UG/L	< 0.42 UG/L	0.36 J UG/L	270 UG/L		1.2 UG/L
WA01HP001	5/21/2004	63	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	0.61 J UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	< 0.31 UG/L		< 0.12 UG/L
WA01HP002	5/21/2004	40	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	1.1 UG/L	< 0.42 UG/L	< 0.33 UG/L	410 UG/L		2.1 UG/L
WA01HP003	5/21/2004	43	< 0.78 UG/L	< 0.54 UG/L	< 50 UG/L	< 0.92 UG/L			< 0.58 UG/L	< 1.38 UG/L				< 0.94 UG/L	< 0.48 UG/L		< 0.52 UG/L	< 0.66 UG/L	< 0.72 UG/L	< 0.38 UG/L	< 0.44 UG/L	< 0.56 UG/L	< 0.72 UG/L	< 0.84 UG/L	< 0.66 UG/L	450 UG/L		< 0.24 UG/L
WA01HP003	5/21/2004	7	< 0.39 UG/L	< 0.27 UG/L	< 25 UG/L	< 0.46 UG/L			< 0.29 UG/L	< 0.69 UG/L				< 0.47 UG/L	< 0.24 UG/L		< 0.26 UG/L	< 0.33 UG/L	< 0.36 UG/L	< 0.19 UG/L	< 0.22 UG/L	< 0.28 UG/L	< 0.36 UG/L	< 0.42 UG/L	< 0.33 UG/L	31 UG/L		< 0.12 UG/L
Number of Detects:			3	2	3	3	1	8	4	4	1	1	1	14	3	1	3	6	2	4	3	12	8	13	32	49	1	38
Total Number of Analyses:			94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94
Minimum Concentration:			2	15	130	61	12	11	26	14	4	71	18	5	3	26	19	17	6	15	12	11	2	1	12	2	20	6
Maximum Concentration:			36	45	250	83	12	67	97	95	4	71	18	93	96	26	63	53	69	47	48	94	79	730	3200	32000	20	4600
Mean Detected Concentration:			21	30	170	73	12	28.5	49.25	55.5	4	71	18	51.64	40.33	26	42	38.17	37.5	25	25.33	44.25	31.38	80.23	144.47	843.86	20	179.16

Detected Analytes in Water
Anions by Method E300 and TDS by Method E160.1
Expanded SI

Location-ID	Sample Date	Depth(feet)	CHLORIDE (AS CL)	NITRATE (AS N)	NITROGEN, NITRITE (AS N)	SULFATE (AS SO4)	TOTAL DISSOLVED SOLIDS (RESIDUE, FILTERABL
AFVSB002	11/7/2004	18	115 MG/L	0.324 MG/L	< 0.05 MG/L	38.4 MG/L	846 MG/L
AFVSB002	11/7/2004	5	96.7 MG/L	0.187 J MG/L	< 0.05 MG/L	8.86 MG/L	743 MG/L
B057AHP005	9/17/2004	5	2430 MG/L	< 0.5 MG/L	< 0.5 MG/L	< 2 MG/L	6050 MG/L
B089SD01	9/17/2004	2	673 MG/L	< 0.5 MG/L	< 0.5 MG/L	112 MG/L	1470 MG/L
B089SD01	10/28/2004	2	205 MG/L	1.39 MG/L	< 0.05 MG/L	70.7 MG/L	660 MG/L
B089SD02	10/28/2004	5	18.6 MG/L	0.471 MG/L	< 0.05 MG/L	46.3 MG/L	204 MG/L
B091SD02	10/28/2004	5	90.5 MG/L	1.56 MG/L	0.152 J MG/L	242 MG/L	986 MG/L
B091SD04	10/28/2004	2	68.1 MG/L	1.19 MG/L	< 0.05 MG/L	229 MG/L	910 MG/L
B116SD01	10/28/2004	5	147 MG/L	0.674 MG/L	< 0.05 MG/L	74.4 MG/L	114 MG/L
B161SD02	10/28/2004	5	107 MG/L	1.41 MG/L	0.163 J MG/L	239 MG/L	970 MG/L
B165SD01	9/17/2004	4	3430 MG/L	< 0.5 MG/L	< 0.5 MG/L	255 MG/L	7930 MG/L
B165SD01	10/28/2004	4	131 MG/L	1.48 MG/L	< 0.05 MG/L	99 MG/L	564 MG/L
B165SD02	9/17/2004	4	6960 MG/L	< 0.5 MG/L	< 0.5 MG/L	522 MG/L	14900 MG/L
B165SD03	9/17/2004	3	5030 MG/L	< 0.5 MG/L	< 0.5 MG/L	196 J MG/L	11200 MG/L
B165SD03	10/28/2004	3	431 MG/L	0.894 MG/L	< 0.05 MG/L	156 MG/L	1210 MG/L
B165SD05	10/28/2004	4	248 MG/L	0.571 MG/L	< 0.05 MG/L	286 MG/L	1270 MG/L
B165SD20	10/28/2004	5	145 MG/L	1.13 MG/L	< 0.05 MG/L	221 MG/L	682 MG/L
B56ASD01	9/17/2004	2	61.6 MG/L	< 0.5 MG/L	< 0.5 MG/L	20.3 MG/L	240 MG/L
B56ASD02	9/17/2004	3	112 MG/L	< 0.5 MG/L	< 0.5 MG/L	16.7 J MG/L	318 MG/L
CitySD02	10/28/2004	3	4.52 MG/L	0.237 MG/L	< 0.05 MG/L	18.2 MG/L	114 MG/L
SHMPZ002	9/17/2004	2	3860 MG/L	< 0.5 MG/L	< 0.5 MG/L	17.7 J MG/L	8750 MG/L
SHMPZ005	9/17/2004	3	2820 MG/L	< 0.5 MG/L	< 0.5 MG/L	< 2 MG/L	6400 MG/L
Sump1GR01	10/28/2004	6	290 MG/L	0.991 MG/L	< 0.05 MG/L		928 MG/L

Number of Detects:	23	14	2	20	23
Total Number of Analyses:	23	23	23	23	23
Minimum Concentration:	107	113	152	99	114
Maximum Concentration:	6960	991	163	886	14900
Mean Detected Concentration:	1345.26	368.93	157.5	323.5	2933

Detected Analytes in Water
GRO, DRO and RRO by Method SW8015B
Expanded SI

Location-ID	Sample Date	Depth(feet)	DIESEL (C10-C24)	GASOLINE (~C6-C10)	MOTOR OIL (C20-C36)
AFVSB002	11/7/2004	18	90 J UG/L		160 J UG/L
AFVSB002	11/7/2004	5	910 J- UG/L		3000 J- UG/L
B004HP002	5/11/2004	68	25 J UG/L		< 230 UJ UG/L
B031HP003	5/20/2004	5	35 J UG/L		< 230 UJ UG/L
B057AHP003	5/26/2004	5	< 23 UG/L	160 UG/L	< 29 UG/L
B057AHP006	5/26/2004	3	88 J UG/L	54 UG/L	160 J UG/L
B059HP001	4/29/2004	2	13000 J UG/L		26000 J UG/L
B090HP001	5/4/2004	8	97 J UG/L		< 230 UJ UG/L
B091HP001	5/4/2004	5	51 J UG/L		< 230 UJ UG/L
B101HP002	5/12/2004	5	26 J UG/L		< 230 UJ UG/L
B118AHP002	5/5/2004	5	59 J UG/L		< 230 UJ UG/L
B120HP001	5/5/2004	2	129 UG/L		< 230 UJ UG/L
B120HP003	5/24/2004	5	340 J UG/L		< 230 UJ UG/L
B120HP004	5/5/2004	5	510000 J UG/L		< 69000 UJ UG/L
B154HP001	5/11/2004	5			7200 J UG/L
B154HP001	5/11/2004	5	8300 UG/L		
B154HP002	5/10/2004	42	240 UG/L		< 230 UJ UG/L
B161HP001	5/26/2004	49	95 J UG/L	< 20 UG/L	160 J UG/L
B161HP001	5/26/2004	9	390 UG/L	23 J UG/L	91 J UG/L
B161HP002	5/24/2004	5	96 J UG/L	< 20 UG/L	110 J UG/L
B165HP001	5/20/2004	0	270 UG/L		
B168HP001	5/10/2004	5	100 J UG/L		< 230 UJ UG/L
FS001HP001	5/5/2004	3	30000 J UG/L		< 460 UJ UG/L
FS001HP002	5/6/2004	5	27 J UG/L		< 230 UJ UG/L
FS001HP005	5/6/2004	0	140 J UG/L		< 230 UJ UG/L
FS001HP008	5/12/2004	37	25 J UG/L		< 230 UJ UG/L
FS001HP008	5/12/2004	5	160 J UG/L		710 J UG/L
FS001HP009	5/13/2004	5	77 J UG/L		< 230 UJ UG/L
FS001HP010	5/17/2004	5	162 UG/L		< 230 UJ UG/L
FS001HP012	5/18/2004	5	1400 J UG/L		< 230 UJ UG/L
FS001HP012	5/18/2004	23	32 J UG/L		< 230 UJ UG/L
FS001HP013	5/19/2004	5	37 J UG/L		< 230 UJ UG/L
FS003HP002	4/29/2004	10	29 J UG/L		< 230 UJ UG/L
OD01HP002	4/30/2004	2	< 1500 UJ UG/L		1500 J UG/L
OS29HP002	4/28/2004	73	230 J UG/L		< 230 UJ UG/L
OS29HP003	4/28/2004	32	180 J UG/L		< 230 UJ UG/L
SHMPZ006	5/7/2004	25	57 J UG/L		< 230 UJ UG/L
SPUREHP001	4/26/2004	40	152 UG/L		
SWAMPAHP002	5/14/2004	5	39 J UG/L		< 230 UJ UG/L
SWAMPAHP004	5/14/2004	61	27 J UG/L		< 230 UJ UG/L
SWAMPBHP002	5/10/2004	5	270 J UG/L		< 230 UJ UG/L
SWAMPBHP003	5/17/2004	91	25 J UG/L		< 230 UJ UG/L
SWAMPBHP006	5/6/2004	0	21 J UG/L		< 230 UJ UG/L
VALERO117	4/28/2004	9	330 J UG/L		< 230 UJ UG/L

Number of Detects:	41	3	10
Total Number of Analyses:	44	44	44
Minimum Concentration:	21	23	91
Maximum Concentration:	510000	160	26000
Mean Detected Concentration:	13847.83	79	3909.10

Detected Analytes in Water
Metals by Method SW6010B
Expanded SI

Location-ID	Sample Date	Depth(feet)	ALUMINUM	ANTIMONY	ARSENIC	BARIUM	CALCIUM	CHROMIUM, TOTAL	COBALT	COPPER	IRON	LEAD	MAGNESIUM	MANGANESE	MOLYBDENUM	NICKEL	POTASSIUM	SILVER	SODIUM	VANADIUM	ZINC
AFVSB002	11/7/2004	18			< 0.0015 MG/L	0.0179 MG/L		< 0.005 MG/L				< 0.002 MG/L						< 0.005 MG/L			0.00644 J MG/L
AFVSB002	11/7/2004	5			0.0168 MG/L	0.328 MG/L		< 0.005 MG/L				< 0.002 MG/L						< 0.005 MG/L			0.0118 J MG/L
B004HP001	5/11/2004	5	2.18 MG/L	0.00251 J MG/L	0.0313 MG/L	1.55 MG/L	188 MG/L	< 0.005 MG/L	0.0131 J MG/L	< 0.005 MG/L	10.5 MG/L	< 0.002 MG/L	699 MG/L	2 MG/L	0.0351 J MG/L	0.0102 J MG/L	141 MG/L	< 0.005 MG/L	6220 MG/L	0.0062 J MG/L	< 0.005 MG/L
B004HP002	5/11/2004	5	< 0.06 MG/L	0.0015 J MG/L	0.0536 MG/L	2.22 MG/L	256 MG/L	< 0.005 MG/L	0.0113 J MG/L	< 0.005 MG/L	77 MG/L	< 0.002 MG/L	642 MG/L	2.01 MG/L	0.0143 J MG/L	0.0124 J MG/L	160 MG/L	0.00651 J MG/L	5440 MG/L	< 0.005 MG/L	0.0286 MG/L
B031HP001	5/4/2004	5	< 0.06 MG/L	0.00102 J MG/L	0.0355 MG/L	0.0694 MG/L	80 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.005 MG/L	1.91 MG/L	< 0.002 MG/L	40.8 MG/L	1.2 MG/L	< 0.01 MG/L	< 0.01 MG/L	< 1 MG/L	< 0.005 MG/L	115 MG/L	< 0.005 MG/L	0.00815 J MG/L
B031HP003	5/20/2004	5	0.0698 J MG/L	0.00117 J MG/L	0.00473 J MG/L	0.0401 MG/L	77.2 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.005 MG/L	0.0756 J MG/L	< 0.002 MG/L	30.9 MG/L	0.258 MG/L	0.0112 J MG/L	0.0109 J MG/L	1.98 J MG/L	< 0.005 MG/L	128 MG/L	0.00878 J MG/L	0.03 MG/L
B050HP001	5/18/2004	5		0.00117 J MG/L								< 0.002 MG/L									
B057AHP005	9/17/2004	5					110 MG/L						195 MG/L				50.2 MG/L		1780 MG/L		
B089SD01	9/17/2004	2					32.8 MG/L						35.7 MG/L				9.73 MG/L		239 MG/L		
B089SD01	10/28/2004	2					36.6 MG/L						28.5 MG/L				6.96 MG/L		165 MG/L		
B089SD02	10/28/2004	5					17.7 MG/L						12.5 MG/L				2.73 J MG/L		38.4 MG/L		
B091AHP001	5/4/2004	5	< 0.06 MG/L	< 0.0005 MG/L	0.00876 J MG/L	0.0571 MG/L	117 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.005 MG/L	0.48 J MG/L	< 0.002 MG/L	58.6 MG/L	1.7 MG/L	< 0.01 MG/L	< 0.01 MG/L	< 1 MG/L	< 0.005 MG/L	227 MG/L	< 0.005 MG/L	0.0117 J MG/L
B091HP001	5/4/2004	5	0.0754 J MG/L	0.00475 J MG/L	0.0677 MG/L	0.247 MG/L	145 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.005 MG/L	1.42 MG/L	< 0.002 MG/L	80.4 MG/L	2.34 MG/L	0.0122 J MG/L	< 0.01 MG/L	1.34 J MG/L	< 0.005 MG/L	105 MG/L	< 0.005 MG/L	0.00933 J MG/L
B091SD02	10/28/2004	5					98.3 MG/L						53.1 MG/L				1.5 J MG/L		167 MG/L		
B091SD04	10/28/2004	2					105 MG/L						54.3 MG/L				< 1 MG/L		154 MG/L		
B101HP001	5/12/2004	5	< 0.06 MG/L	0.00051 J MG/L	0.0219 MG/L	0.195 MG/L	314 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.005 MG/L	8.43 MG/L	< 0.002 MG/L	277 MG/L	2.3 MG/L	0.0117 J MG/L	< 0.01 MG/L	40.6 MG/L	< 0.005 MG/L	1030 MG/L	< 0.005 MG/L	< 0.005 UJ MG/L
B101HP002	5/12/2004	5	< 0.06 MG/L	0.00095 J MG/L	0.0086 J MG/L	0.0457 MG/L	396 MG/L	< 0.005 MG/L	0.0129 J MG/L	< 0.005 MG/L	0.111 J MG/L	< 0.002 MG/L	239 MG/L	7.99 MG/L	< 0.01 MG/L	< 0.01 MG/L	14.2 MG/L	< 0.005 MG/L	560 MG/L	< 0.005 MG/L	< 0.005 UJ MG/L
B116SD01	10/28/2004	5					41.4 MG/L						27.5 MG/L				3.24 J MG/L		121 MG/L		
B120HP002	5/6/2004	5						0.015 J MG/L		0.0139 J MG/L						0.024 J MG/L					
B161HP001	5/26/2004	49	< 0.06 MG/L	0.00265 J MG/L	< 0.0036 MG/L	0.213 MG/L	456 MG/L	< 0.005 MG/L	0.012 J MG/L	< 0.005 MG/L	7.77 MG/L	< 0.002 MG/L	1590 MG/L	5.43 MG/L	0.0445 J MG/L	0.0372 MG/L	219 MG/L	< 0.005 MG/L	11950 MG/L	< 0.005 MG/L	< 0.005 MG/L
B161HP001	5/26/2004	9	< 0.06 MG/L	< 0.0005 MG/L	0.00681 J MG/L	0.131 MG/L	201 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.005 MG/L	9.13 MG/L	< 0.002 MG/L	139 MG/L	2.74 MG/L	< 0.01 MG/L	< 0.01 MG/L	2.35 J MG/L	< 0.005 MG/L	329 MG/L	< 0.005 MG/L	0.0249 MG/L
B161HP002	5/24/2004	19	< 0.06 MG/L	< 0.0005 MG/L	< 0.0036 MG/L	0.417 MG/L	610 MG/L	< 0.005 MG/L	0.021 MG/L	< 0.005 MG/L	0.0908 J MG/L	< 0.002 MG/L	959 MG/L	12.5 MG/L	0.0214 J MG/L	0.0345 MG/L	115 MG/L	< 0.005 MG/L	6850 MG/L	< 0.005 MG/L	< 0.005 MG/L
B161SD02	10/28/2004	5					95.1 MG/L						54 MG/L				5.82 MG/L		168 MG/L		
B165HP001	5/20/2004	5	0.215 MG/L	< 0.0005 MG/L	0.00494 J MG/L	0.218 MG/L	680 MG/L	< 0.005 MG/L	0.0575 MG/L	< 0.005 MG/L	1.31 MG/L	< 0.002 MG/L	725 MG/L	25.1 MG/L	< 0.01 MG/L	0.106 MG/L	33.8 MG/L	< 0.005 MG/L	4480 MG/L	< 0.005 MG/L	< 0.005 UJ MG/L
B165HP002	4/30/2004	5	0.0709 J MG/L	0.00111 J MG/L	0.0273 MG/L	0.119 MG/L	81.4 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.005 MG/L	0.185 J MG/L	< 0.002 MG/L	86.8 MG/L	1.6 MG/L	0.0387 J MG/L	< 0.01 MG/L	25.6 MG/L	< 0.005 MG/L	1350 MG/L	0.00935 J MG/L	0.0116 J MG/L
B165SD01	9/17/2004	4					259 MG/L						282 MG/L				23.3 MG/L		2050 MG/L		
B165SD01	10/28/2004	4					52.1 MG/L						30.6 MG/L				3.44 J MG/L		125 MG/L		
B165SD02	9/17/2004	4					444 MG/L						491 MG/L				57.5 MG/L		3810 MG/L		
B165SD03	9/17/2004	3					310 MG/L						355 MG/L				42.1 MG/L		2930 MG/L		
B165SD03	10/28/2004	3					75.9 MG/L						62.9 MG/L				6.72 MG/L		327 MG/L		
B165SD05	10/28/2004	4					126 MG/L						55.7 MG/L				6.22 MG/L		208 MG/L		
B165SD20	10/28/2004	5					89.9 MG/L						51.5 MG/L				4.51 J MG/L		131 MG/L		
B56ASD01	9/17/2004	2					19.3 MG/L						14.1 MG/L				2.21 J MG/L		59.5 MG/L		
B56ASD02	9/17/2004	3					19.3 MG/L						19.2 MG/L				3.03 J MG/L		88.8 MG/L		
CitySD02	10/28/2004	3					17.5 MG/L						3.49 MG/L				< 1 MG/L		7.63 MG/L		
PD001HP001	5/5/2004	5	< 0.06 MG/L	< 0.0005 UJ MG/L	0.0223 MG/L	1.7 MG/L	358 MG/L	< 0.005 MG/L	0.0142 J MG/L	< 0.005 MG/L	3.29 MG/L	< 0.002 MG/L	384 MG/L	14.5 MG/L	0.0207 J MG/L	0.0338 MG/L	35.6 MG/L	< 0.005 MG/L	2150 MG/L	< 0.005 MG/L	0.0056 J MG/L
PD001HP002	5/4/2004	5	< 0.06 MG/L	< 0.0005 MG/L	0.0201 MG/L	2.31 MG/L	361 MG/L	< 0.005 MG/L	0.0109 J MG/L	< 0.005 MG/L	31.4 MG/L	< 0.002 MG/L	305 MG/L	9.64 MG/L	< 0.01 MG/L	0.0113 J MG/L	35.6 MG/L	< 0.005 MG/L	1960 MG/L	< 0.005 MG/L	0.0191 J MG/L
PD001HP003	5/4/2004	5	< 0.06 MG/L	0.00113 J MG/L	0.0102 MG/L	3.18 MG/L	131 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.005 MG/L	11.5 MG/L	< 0.002 MG/L	182 MG/L	1.11 MG/L	0.0269 J MG/L	< 0.01 MG/L	102 MG/L	< 0.005 MG/L	2220 MG/L	< 0.005 MG/L	0.0156 J MG/L
PD001HP004	5/3/2004	8	1.21 MG/L	< 0.0005 MG/L	0.00384 J MG/L	0.507 MG/L	337 MG/L	< 0.005 MG/L	0.00951 J MG/L	0.00711 J MG/L	2.26 MG/L	< 0.002 MG/L	242 MG/L	6.78 MG/L	0.0127 J MG/L	< 0.01 MG/L	11.7 MG/L	< 0.005 MG/L	1930 MG/L	0.00528 J MG/L	0.0123 J MG/L
PD001HP005	5/3/2004	5	0.0605 J MG/L	0.0145 MG/L	0.00491 J MG/L	4.3 MG/L	157 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.005 MG/L	0.406 J MG/L	< 0.002 MG/L	222 MG/L	1.13 MG/L	0.0232 J MG/L	< 0.01 MG/L	80.3 MG/L	< 0.005 MG/L	2010 MG/L	< 0.005 MG/L	0.00634 J MG/L
PD001HP006	5/4/2004	5	15 MG/L	0.00222 J MG/L	0.0543 MG/L	1.18 MG/L	191 MG/L	0.0417 MG/L	0.0194 J MG/L	0.0437 MG/L	48.6 MG/L	0.0426 MG/L	141 MG/L	9.11 MG/L	0.0135 J MG/L	0.0605 MG/L	17.6 MG/L	< 0.005 MG/L	741 MG/L	0.0461 MG/L	0.158 MG/L
SHMPZ002	9/17/2004	2					120 MG/L						203 MG/L				59.1 MG/L		2800 MG/L		
SHMPZ005	9/17/2004	3					146 MG/L						288 MG/L				62.9 MG/L		2360 MG/L		
SPUREHP001	4/26/2004	40	0.486 MG/L	< 0.0005 MG/L	< 0.0015 MG/L	0.0938 MG/L	71.2 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.005 MG/L	0.32 J MG/L	< 0.002 MG/L	39.6 MG/L	0.0694 MG/L	< 0.01 MG/L	< 0.01 MG/L	< 1 MG/L	< 0.005 MG/L	99.9 MG/L	< 0.005 MG/L	< 0.005 MG/L
SPUREHP002	5/20/2004	12	0.139 J MG/L	< 0.00069 UJ MG/L	< 0.0015 MG/L	0.0599 MG/L	83.4 MG/L	< 0.005 MG/L	< 0.005 MG/L	< 0.005 MG/L	0.162 J MG/L	< 0.002 MG/L	47 MG/L	0.191 MG/L	< 0.01 MG/L	< 0.01 MG/L	1.12 J MG/L	< 0.005 MG/L	95.2 MG/L	< 0.005 MG/L	< 0.00918 UJ MG/L
Sump1GR01	10/28/2004	6					71.9 MG/L						43.4 MG/L				6.19 MG/L		222 MG/L		

Number of Detects:	10	13	18	23	42	2	10	3	21	1	42	21	13	10	37	1	42	5	15
Total Number of Analyses:	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46
Minimum Concentration:	15	15	86	17	80	15	12	139	32	426	47	2	112	24	15	651	105	62	3
Maximum Concentration:	754	475	876	938	983	417	951	711	913	426	1590	964	445	605	973	651	11950	935	933
Mean Detected Concentration:	396	159.92	394.17	318.17	390.67	216	237.7	429	345.57	426	411.21	312.48	220.08	223.8	362.49	651	1717.45	572.8	306.6