APPENDIX

H. Marathon Petroleum Presentation: Refining 101

Marathon Petroleum: Refining 101, Dennis Sutton, March 2012 (45 pages)

Source: API Corporate Website: Accessed June 27, 2013
http://www.api.org/events-and-training/~/media/files/events/conference%20proceedings/refining101forcustoms-march2012v6.ashx

API (American Petroleum Institute Website: Events & Training: 2012 International Trade and Customs Conference Proceedings (3 pages, emphasis highlighting added p. 2 showing link to Marathon Petroleum Presentation: Refining 101)

Source: API Corporate Website: Accessed June 27, 2013
http://www.api.org/events-and-training/proceedings/proceedings/itcc

Refining 101

Dennis Sutton

March 2012

Marathon Petroleum Company LP



The Petroleum Industry

- Exploration



MARATHON

The Petroleum Industry

- Exploration
- Production & Supply



The Petroleum Industry

- Exploration
- Production & Supply
- REFINING



The Petroleum Industry

- Exploration
- Production & Supply
- REFINING
- Distribution & Marketing

Purpose of Petroleum Refining

Safely, and efficiently transform crude oil and other raw materials into on-spec finished products.

Crude Oil

- To the consuming public, crude oil is the raw material that will ultimately power our vehicles, provide heating, pave our roads, and become the building blocks for many of the plastics we use.

What is Crude Oil?

- Usually naturally occurring
- Not a single compound, but a complex mixture of thousands of compounds
- Wide boiling range
- Mostly hydrocarbons (compounds with carbon and hydrogen) but traces of other compounds are present, such as sulfur, nitrogen, oxygen, and metals



What is Crude Oil?

- Usually naturally occurring- but what about synthetic crude?



What are Synthetic Crudes?

- The oil sands of Canada and Venezuela are the source of the synthetic crudes.
- Using refinery units, the heavy bitumen is upgraded to yield products from the oil sands.
- So, the term "synthetic crudes" refers to partially processed, hydrocarbon blends suitable for processing in a crude unit.

Classifying Crude Oil

- Location
- Density (light, heavy) - the scale most commonly used in API Gravity. The higher the number the lighter the crude oil.
  - Generally, the lighter crudes are more valuable since they'll produce more of the higher valued products.
- Sulfur content (sweet, sour)
  - Low sulfur is sweet
  - High sulfur is sour
  - Sweet is usually defined as less than 0.5% sulfur
  - Sweet crudes are more valuable as the sulfur is an undesirable component that must be removed in the refining process.

Are Crude oils all pretty much the same ?

Definitely not.
No more than people are all the same.

Crude Oil Assay Program

- Crude oils are characterized utilizing a very comprehensive testing slate
- Typical full crude assay cost:
  - $10,000 - $20,000 per crude
- Information is used for:
  - Purchase decisions
  - Refining planning and optimization
  - Capital project decisions

Crude Oil Assay Program

Analytical Testing

- A representative sample of the crude is distilled in the laboratory under similar conditions as the refinery.
- Ten or more boiling range fractions are obtained.
- Very extensive testing is conducted on the whole crude and the various fractions.
- Tests performed are selected based on the products.

Crude Assay Laboratory



Crude Oil Assay Program

Converting Information to Intelligence

- Following the analytical testing, special software programs are used to put the raw analytical data into a form that conclusions, comparisons, and correlations can be made.
- Sophisticated computer models use the crude assay data together with operational data and price information to allow for optimal planning and operation.

Typical Crude Assay

WHOLE CRUDE & SUMMARY OF MAJOR CUTS

	Whole Crude	Light Naphtha	Medium Naphtha	Heavy Naphtha	Kero	Atm Gas Oil	Light VGO	Heavy VGO	Vacuum Resid
TBP Temp At Start, °F	Start	55	175	300	400	500	650	850	1050
TBP Temp At End, °F	End	175	300	400	500	650	850	1050	End
Yield at Start, vol%		0.03	1.13	6.01	11.59	19.96	35.36	58.01	76.31
Yield at End, vol%		1.13	6.01	11.59	19.96	35.36	58.01	76.31	100.00
Yield of Cut (wt% of Crude)		0.79	4.02	4.91	7.74	14.77	22.90	18.93	25.93
Yield of Cut (vol% of Crude)		1.10	4.88	5.58	8.37	15.40	22.65	18.31	23.69
Gravity, °API	20.5	79.2	53.3	41.0	33.0	26.9	18.8	15.5	7.3
Specific Gravity	0.93	0.67	0.77	0.82	0.86	0.89	0.94	0.96	1.02
Sulfur, wt%	0.74	0.00	0.01	0.05	0.16	0.37	0.65	0.90	1.36
Mercaptan Sulfur, ppm		6	13	11	9				
Nitrogen, ppm	4380	0	0	0	4	138	1563	4270	12314
Hydrogen, wt%		16.0	14.3	13.8	13.2	12.6	11.9	11.5	
Viscosity @ 40 °C (104 °F), cSt	64.06	0.60	0.87	1.35	2.21	4.96	39.96	3.51E+03	2.E+08
Viscosity @ 50 °C (122 °F), cSt	40.43	0.54	0.76	1.17	1.85	3.95	26.64	1.06E+03	3.E+07
Viscosity @ 100 °C (212 °F), cSt	8.17	0.38	0.49	0.67	0.95	1.66	6.41	2.81E+01	2.E+04
Viscosity @ 135 °C (275 °F), cSt	4.01	0.33	0.87	1.35	2.21	4.96	39.96	3.51E+03	2.E+08
Freeze Point, °C	63	-118	-106	-90	-72	-44	-10	18	84
Freeze Point, °F	145	-180	-158	-130	-98	-46	14	64	184
Pour Point, °C	-24	-124	-112	-93	-74	-48	-16	11	87
Pour Point, °F	-11	-191	-169	-135	-100	-54	4	52	188
Smoke Point, mm (ASTM)	4	32	26	19	15	11	6	3	2
Aniline Point, °C	69	70	46	46	52	56	64	79	91
Aniline Point, °F	156	157	114	114	125	133	147	174	196
Total Acid Number, mg KOH/g	0.80	0.0	0.1	0.2	0.4	0.7	0.5	0.5	0.5
Cetane Index, ASTM D4737				29	34	40			
Diesel Index	32	125	61	47	41	36	28	27	14
Characterization Factor (K Factor)	11.6	12.5	11.6	11.4	11.3	11.3	11.3	11.6	11.8
Paraffins, vol%		77.9	23.5	23.3	17.1				
Naphthenes, vol%		22.1	69.4	65.7	63.5				
Aromatics, vol%		0.0	7.1	11.0	18.9				
Heptane Asphaltenes, wt%	1.8								6.8
Micro Carbon Residue, wt%	5.2								19.3
Ramsbottom Carbon, wt%	5.1								18.8
Vanadium, ppm	17								66
Nickel, ppm	11								41
Iron, ppm	5								20

Other Non-Crude Refinery Feedstocks

- Gas oil, feed to the cat cracker
- Gasoline blendstocks - intermediate materials to be blended into the finished gasoline
- Butane(s)
- Raw materials for specialty units

no <u>two</u> are the same!!

Refinery Configuration Factors

- Process Units (Type & Size)
- Location
- Transportation Options
- Tankage

A Very Simple Refinery



Catlettsburg Refinery • Simplified Flow Chart • 100% Low Sulfur Fuels Refinery



Simplified Refinery Processes



Refining Process

Refining Crude Into Useful Products

- Physical Processes
  - Separate hydrocarbon compounds based on physical characteristics without causing chemical reactions
    - –Boiling point
    - –Solubility in selected solvent
  - No change to hydrocarbon structures
    - –Distillation

Refining Crude Into Useful Products

- Chemical Processes
  - Alter chemical structure of hydrocarbon molecules
    - Example: rearrange molecules into ones with more desirable properties
  - Change the size of hydrocarbon molecules
    - Example: break large molecules into several smaller ones
    - Example: combine several small molecules into larger ones
  - Remove impurities such as sulfur and nitrogen

Desalting

- Prior to introducing the crude to the main units, it must be "cleaned."
- By using chemicals, heat, and electrical fields, the sediment, salts, and water are removed.



Distillation

- Primary physical separation process within the refinery
- Separates hydrocarbon mixtures according to boiling point
- Used in various places in the refinery

Refining Processes Involving Chemical Reactions

Reforming

Cracking

Hydrotreating

Alkylation

Coking

Catalytic Reforming

- Function is to chemically alter "naturally-occurring" gasoline-like material (naphtha) to boost its octane
- Converts low octane paraffins and naphthenes into high octane aromatics

Catalytic Reforming – Primary Process Chemistry

- Dehydrogenation of naphthenes to aromatics



C_6H_{12} $\quad$ Benzene- C_6H_6

RON 80 $\quad$ **115**

(an example)

Catalytic Cracking

- Function is to "crack" the gas oil (650°F- 1000 °F) fraction of the crude oil to produce more gasoline and distillate fuels
- Usually uses a fluidized catalyst - thus Fluidized Catalytic Cracking Unit (FCCU)
- FCC was developed since the amount of naphtha in crude oil is insufficient to meet the demand for gasoline per barrel of crude

Hydrotreating

- Removes sulfur (and nitrogen) compounds from intermediate feedstocks
- Hydrotreating is necessary to meet low sulfur product quality specifications
- Uses hydrogen produced by reformers

Alkylation

- "Links" small molecules together to yield high octane, low vapor pressure gasoline blendstock

Alkylate Product

An Ideal "Green" Gasoline Blendstock

- Very high octane
- NO sulfur
- NO aromatics
- NO olefins
- NO benzene
- Can be low vapor pressure

Coking

- A method of bottoms upgrading
- Feedstock:
  - Vacuum resid – heaviest
  - Highest boiling crude fraction
  - High sulfur
  - High metals
- Products:
  - 6-10% gas
  - 15-20% naphtha
  - 35-60% gas oil
  - 20-40% coke

What Products do we make?

Petroleum Refinery Products

- Propane and Propylene
- Butane(s)
- Specialty Solvents
- Specialty Products
  - Benzene
  - Toluene
  - Cumene…
- Gasoline - various grades
- Kerosene
- Jet Fuel
- Diesel Fuel - various grades
- Heavy Fuel Oils
  - No. 4, No. 6, etc.
- Roofing Flux
- Road Asphalt - various grades
- Petroleum Coke

Simplified Refinery Processes



Gasoline Blending (at the Refinery)



Typical Gasoline Specifications
87 Regular Conventional

Specification	Test Method	Unit	Minimum	Maximum	Text
Workmanship	N/A				Clear, Bright, Particulate Free
Gravity - API	ASTM D4052; Calculation; D1298; D287	degrees API			Report Only
Copper Strip Corrosion	ASTM D130			1	Test conducted at 122deg F for 3hrs
Silver Strip Corrosion	D4814 Annex			1	Test conducted at 122deg F for 3hrs
NACE	NACE TM0172				B+ min
Oxidation Stability	ASTM D525	minutes	240		
Washed Gum	ASTM D381	mg/100 ml		4	
Sulfur w/ethanol	D7039; D5453; ASTM D2622	wt.ppm			Report Only
Sulfur	D2622; D7039; D5453	wt.ppm		80	
Lead	D3237; ASTM D3341	g/Gallon		0.05	
Phosphorous	ASTM D3231	g/Gallon		0.005	
Doctor	ASTM D4952				Negative
Mercaptan Sulfur	ASTM D3227	wt.ppm		20	
Oxygenates	D5599	wt%		0.100	
End Point w/ethanol	ASTM D86	°F		430	
End Point	ASTM D86	°F		430	
Residue w/ethanol	ASTM D86	percent		2	
Residue	ASTM D86	percent		2.0	
RON	ASTM D2885; NIR; ASTM D2699				Report
MON	ASTM D2885; NIR; ASTM D2700		82.0		
(R+M)/2	ASTM D2885; NIR; ASTM D2700		87.0		

HTSUS Overview



Crude Oil	
<25° API	2709.00.10
≥25° API	2709.00.20

Other Feedstocks	
Butane	2711
Gas Oil and Other Blend Stocks	2710

Products	
Propane	2711
Gasoline	2710.12
Kerosene	2710.19
Diesel	2710.19
Asphalt	2713.20
Petroleum Coke	2713.90

Specialty Products	
Benzene & Toluene	2707 2902
Cumene	2902

Safely, and efficiently transform crude oil and other raw materials into on-spec finished products.

Refining Resources

- Marathon Petroleum "The Basics of Refining" multi-media program



- "Petroleum Refining in Nontechnical Language," by William L. Leffler

Questions?

2012 International Trade and Customs Conference Proceedings

2012 ITCC

Monday, March 26

8:30 am – 8:35 am Welcome and Introduction

8:35 am – 9:15 am Washington Report

Brian Johnson, API: Legislative Update

9:15 am – 10:15 am Other Industry Perspectives

Suzie Hoeger, Abbott Laboratories: Other Industry Perspectives

10:30 am – 11:15 am Hot Topics in Customs I

Bobby Waid, Charter Brokerage: Drawback Update
John Michel, TRG: Bond Update: Customs Bonds 101

11:15 am – 12:00 pm Pipeline 101

Laurenzo Martinez, Enbridge Pipelines: Pipeline 101

1:30 pm – 2:30 pm HTS and FTZ Update

Purchase your API Standards Today!

Urgent Issues

- Taxes
- Keystone XL Pipeline
- LNG Exports

Interested in Joining an API Standards Committee

Purchase your API Standards Today!



Michael Leightman, Ernst & Young: HTS and FTZ Update

2:30 pm – 3:30 pm Refining 101

Dennis Sutton, Marathon Petroleum: Refining 101

3:45 pm – 5:00 pm FTA Issues

Mike Mitri - Charter Brokerage: Drawback/FTZ/Import Seminar
Marc Hebert - Jones Walker: Where do we Stand With CBP's "New Verification Policy" for Duty Preference Claims?
Customs and Boarder Protection - TBD

Tuesday, March 27

8:25 am Call to Order

8:30 am – 9:15 am Customs Case Law and Regulations Update

Larry Friedman, Barnes/Richardson: Legal Update: 2012

9:15 am – 10:15 am Economics Update

John Felmy, API: Economics Update

10:30 am – 12:00 pm Hot Topics II

Jere Suter, Shell: Foreign-Trade Zone Measurement Update
Chemical Residue – Michelle Forte, Charter Brokerage: Instruments of International Traffic (IITs) with Residue
Melissa Irmen, Integration Point: ACE Update

12:00 pm - 1:30 pm Luncheon

Merlin Hymel, Assistant Port Director (Trade) Port of New Orleans

1:30 pm – 2:30 pm ISA Update and Overview – Florence Constance, CPB

2:30 pm – 3:30 pm Renewable Fuels Overview

Matt Anderson, Charter Brokerage: Renewable Fuels

3:45 pm – 5:00 pm Export Compliance Issues

Karla Hayes, Chevron: Export Controls & the Petroleum Industry

5:00 pm Adjourn

Wednesday, March 28

8:30 am – 12:00 pm Industry Only Meeting

Open to API Members and non-API Member Industry Companies

12:00 pm Adjourn

Connect With API | Facebook | Twitter | Flickr | YouTube | API Smart Brief | API Mobile App

Energy Citizens | we are energynation | EnergyFromShale.org | energy tomorrow

Oil & Natural Gas Overview
- Wells to Consumer Interactive Diagram
- Exploration and Production
- Transporting Oil and Natural Gas
- Fuels and Refining
- Consumer Information
- Industry Economics
- Classroom Tools

Environment, Health & Safety
- Environmental Principles
- Clean Air
- Climate Change
- Clean Water
- Health and Safety
- Energy Efficiency and Recycling
- Process Safety
- Environmental Performance

Publications, Standards & Statistics
- Search and Order
- API Redistributor Contact List
- Permissions
- Industry Statistics
- The API Engineering Partnership Program
- Government-cited & Safety Documents
- Publications Updates
- Publications Catalog
- Annual Standards Plan
- Standards Addenda and Errata
- Software Products Source Code
- Committee Information
- Standards Committee Application
- FAQs and Inquiries

Events & Training
- Calendar of Events
- Call for Papers
- Proceedings
- Sponsors / Exhibitors
- API-U Training
- API eMaintenance
- API Worksafe

Certification Programs
- Get A Quote
- Certification Program Directories
- Worldwide Representatives
- Frequently Asked Questions (FAQs)
- API Monogram Program & APIQR
- Witnessing Programs
- Individual Certification Program (ICP)
- Training Provider (TPCP)
- Engine Oil (EOLCS)
- Diesel Exhaust Fluid (DEF)
- Motor Oil Matters (MOM)
- Process Safety Site Assessment Program
- Center for Offshore Safety (COS)

Policy & Issues
- Top Industry Policy Issues
- American Jobs
- LNG Exports
- Oil Sands
- Environment
- Hydraulic Fracturing
- Keystone Pipeline XL
- Safety
- Exploration / Production
- American Energy
- State of American Energy
- Fuels Policy
- Alternative Fuels and Renewables Policy
- Taxes

News & Media
- News
- Testimony and Speeches
- Industry Advertisements
- Infographics
- Hurricane Information
- Multimedia Center
- Media Contacts

API President and CEO | API Careers | Industry Careers | Membership

slideshare | Scribd

© Copyright 2013 - API. All Rights Reserved. Terms and Conditions | Privacy | Site-Map