

## PRESCRIPTIVE COMPLIANCE PATHWAY FORM

APPLICANT INFORMATION		
Application/Permit Number:		
Name:		
Phone:		
Address:	Email:	
PROPERTY OWNER (OR DESIGNEE) INFORMATION		
Name:		
Company and Title (if applicable):	Phone:	
Address:	Email:	
PROJECT INFORMATION		
<i>The information in this section will be provided in an annual report to the State Department of Water Resources.</i>		
Please select project type below:		
Residential	Commercial	Rehabilitated Landscape
Site Address:		
Total Landscape Area (sq. ft.) *:	Turf Area (sq. ft.):	
Non-Turf Plan Area (sq. ft.):	Special landscape area or water features (sq. ft.):	
Water Type (potable, recycled water, well, on-site greywater, on-site rainwater):		
Name of water purveyor (If not served by private well):		

\* Total landscape area equals all the irrigated planting areas, turf and water features and does not include the building footprint or hardscapes such as sidewalks, patios, parking lots or driveways.

### **SIGNATURE**


I certify that this project does incorporate landscaping equal to or less than 2500 sq ft and will be using this form to identify prescriptive requirements which will be included as part of the landscape project. (Please complete this form specific to the landscape area and identify the location on the plans of each design measure the checklist.)

---

Signature of Property Owner
Date

---

Signature of:
Applicant
Authorized Agent
Date



## MWELO APPENDIX D CHECKLIST

(Can only be used when aggregate landscape areas are less than 2,500 square feet)

Landscape Parameter	Item(s)	Sheet Number
Landscape Design Plan	Attach a landscape plan indicating the following: <ol style="list-style-type: none"> <li>a. Turf areas</li> <li>b. High water use planting areas.</li> <li>c. Moderate water use planting areas.</li> <li>d. Low water use planting areas.</li> <li>e. Water features including swimming pools.</li> <li>f. Edible planting areas</li> <li>g. Areas irrigated with recycled water</li> </ol>	
Soil	Incorporate compost at a rate of at least 4 cubic yards per 1,000 square feet to a depth of 6 inches into the landscape area (unless contra-indicated by a soil test).  “This project will apply _____ cubic yards of compost”	
Plants	Plant material shall comply with the following: <ol style="list-style-type: none"> <li>a. <u>Residential</u> projects only:               <ol style="list-style-type: none"> <li>I. 75% of landscape area shall consist of plants that use little or no summer water (WUCOLS plant factor of 0.3 or lower), excluding edibles or areas using recycled water.</li> <li>II. No more than 25% of the landscape area will be planted with high water using plants.</li> </ol> </li> <li>b. <u>Non-residential</u> projects only (including multifamily residential):               <ol style="list-style-type: none"> <li>I. 100% of the landscape area shall consist of plants that use little or no summer water (WUCOLS plant factor of 0.3 or lower), excluding edibles or areas using recycled water.</li> </ol> </li> <li>c. No invasive plants are planted. No plant species listed by the California Invasive Plant Council’s “Don’t Plant a Pest” brochure as invasive in the San Francisco Bay Area shall be planted.</li> </ol> The use of turf shall comply with all of the following: <ol style="list-style-type: none"> <li>a. In nonresidential areas, turf is not used.</li> <li>b. In residential areas:               <ol style="list-style-type: none"> <li>I. Turf, high water use plants, and water features shall, combined, not exceed 25% of the landscape area.</li> <li>II. Turf shall not be planted on slopes which exceed a slope of 1-foot vertical elevation change for every 4 feet or horizontal length.</li> <li>III. Turf is prohibited in parkways less than 10 feet wide. <i>Exception: Parkway is adjacent to a parking strip and used to</i></li> </ol> </li> </ol>	



THE CITY OF  
**BENICIA**  
CALIFORNIA

	<p><i>exit and enter vehicles AND turf is irrigated with subsurface irrigation</i></p> <p>WUCOLS plants database can be found online at: <a href="http://ucanr.edu/sites/WUCOLS/">http://ucanr.edu/sites/WUCOLS/</a></p> <p>“Don’t Plant a Pest” brochure can be found at <a href="http://cal-ipc.org/landscaping/dpp/">http://cal-ipc.org/landscaping/dpp/</a></p>	
Irrigation	Automatic irrigation controllers are required and must use evapotranspiration or soil moisture data and utilize a rain sensor.	
	Pressure regulators are installed on the irrigation system to ensure dynamic pressure of the components are within the manufacturer’s recommended pressure range.	
	Manual-shut-off valves (such as gate, ball or butterfly valves) are installed as close as possible to the point of connection of the water supply.	
	All irrigation emission devices must meet the requirements set in the ANSI standard ASABE/ICC 802-2014 “Landscape Irrigation Sprinkler and Emitter Standard.” All sprinkler heads installed must have a distribution uniformity low quarter of 0.65 or higher using the protocol defined in ASABE/ICC 802-2014.	
	Areas less than 10 feet in width in any direction shall be irrigated with subsurface irrigation or other means that produces no runoff or overspray.	
	For non-residential projects with landscape areas of 1,000 sf or more, private sub-meter(s) to measure landscape water use shall be installed.	

**SIGNATURE**

I certify the above information and agree to comply with these Prescriptive Compliance requirements for the Water Efficient Landscape Plan Review.

\_\_\_\_\_  
Signature of Property Owner

\_\_\_\_\_  
Date

Signature of:

Applicant

Authorized Agent

\_\_\_\_\_  
Date